

CHAOYANG[®]

TIRES

CHAOYANG[®] TIRES

Global Edition 2024 www.chaoyangtire.com

 中策橡胶
zc rubber
www.chaoyangtire.com

ZHONGCE RUBBER GROUP COMPANY LIMITED
#1, No. 1 Street, Qiantang District 310018
Hangzhou, China
TEL: +86-571-86755960
E-mail: sales2wheels@zc-rubber.com
CHINA

ZHONGCE EUROPE GMBH
Holleritallee 17 30419 Hannover Germany
GERMANY

ZC RUBBER BRAZIL PARTICIPACOES LTDA
MAESTRO GABRIEL MIGLIORI, 577 SL 53/54
BAIRRO LIMA O SAO PAULO, 02712-140
BRAZIL

ZHONGCE RUBBER AMERICA INC.
663 BREA CANYON RD
SUITE 4, WALNUT, 91789 CA
USA



Chaoyang Europe



Chaoyang Brasil

Global Edition 2024



TOP 9

No. 9 of Top 75 Global Tyre Manufacturers



SINCE 1958

Established in Year 1958



30,000 EMPLOYEES

Support from Over 30,000 Employees



200 MARKETS

Trust from Customers Across More than 200 Markets

Zhongce Rubber Group Co., Ltd (ZC-Rubber) is a global tyre company based in Hangzhou, China and was founded in 1958. Over our more than 60 years of history, we experienced continuous growth in quality and reputation to become the Top 10 tyre manufacturer worldwide today.

Our engineers with our international R&D team focus on constant technological development and innovation spending millions of US dollars in research and development each year and upgrading our production and testing facilities. The ET Industrial Brain in the production process promises our smart production and guarantee tyres with high quality, safety, and value with maximum efficiency.

We have formed an extensive global service network of about 1,200 distributors with 250,000 sales locations in 160 countries. Our subsidiaries in Thailand, Germany, Brazil, and the United States serve customers without any difference in time and language. We are dedicated to better support our suppliers, distributors, and customers through a one-stop service.

Safe and Value are always the key of our company. We take pride in the superior quality of our tyre products and the first-rate services. We are still endeavoring to become one of the most respected tyre manufacturers globally and craft a better future with all partners and friends.



Most Advanced
Equipment



Best
Raw Material



Leanest
Management



Latest
Technology



Least
Energy Consumption



Most Suitable
Products

COMPANY MISSION



**WE ARE COMMITTED TO
ADVANCING TOWARDS
FUTURE MOBILITY**

COMPANY VISION



**TO BE A GLOBAL LEADING
TYRE MANUFACTURER**



China Compulsory Certification



US DOT Certification



European E-MARK Certification



SNI Certification of Indonesia



BIS Certification of India




INMETRO Certification of Brazil



Business Social Compliance Initiative

GLOBAL BRANCHES & SUBSIDIARIES





STRATEGIC COOPERATION

OE CUSTOMERS




KEY ACCOUNTS



KEY SUPPLIERS



ROAD 14



E-LINER 22




GRAVEL 30



XC / MARATHON 32



ALL MOUNTAIN 42



DOWN HILL 52



FAT 58



BMX 70



ARAMID-BEAD (FOLDABLE) & PACKAGE

ENDURO 46




PLUS 54



CITY / URBAN 62



SPIKES 72




TUBE 75

BASIC TIRE STRUCTURE




WRE - WIDE RIM EDITION



The wide range of rim width on the market cannot be covered any more by one tire construction only. The new wide rim edition (WRE) optimizes the tire construction to the latest rim developments. Designed for 30mm wide rims the new 2.3 wide PHANTOM tires have been proven to work best over a range from 28-30mm inner rim width. Riders who run 20-25mm wide rims get the best performance with the 2.2 version of the PHANTOM tires.

CASING



TPI=Threads Per Inch(2.54cm)

■ lower TPI casing is heavier, but it can give better cut, puncture, and abrasion resistance

■ High TPI casing is lighter, and offering a smoother and comfortable ride feeling



ARAMID
Aramid-bead is a kind of composite strong and light weight fabric, used especially on folding tire. Aramid stays tightly to the rim, while offering easy installation and portability.



WIRE
In applications where ultimate strength is needed and transportation is not a factor, a copper-clad metal material circled in a particular way is utilized as bead wire. The bead is to keep the tire mounting the rim tightly while the tire is inflated.

DUAL THREADS FOR CARGO


DT-DEFENSE

The DT-DEFENSE is based on the technology of dual threads casing. Which has been used successfully for years in E-MOTO tires and has proved extremely effective. Made of nylon fiber but with dual winding structure. It reliably protects against punctures and high loads ability

TUBELESS READY




Tubeless provide the benefits of less chance of flatting since there is no tube, and lower rolling resistance when compared to a tube-type tire. The constructure with extra-strong foldable bead and reinforced rubber sidewalls is mainly used for Elite and performance lines.



TREAD PROTECTION



★★★★★
Protection Grade



Kevlar Breaker (K3): High strength of KEVLAR fabric brings with super anti-puncture performance, while minimizing the increment of weight.



DINO SKIN KEVLAR® 3 BREAKER

The best solution for anti-punctures, it is double protection for the tire. An extremely closed meshed and dense fabric (Kevlar3) always used for flack jacket placed under the tread.



★★★★★
Protection Grade



5mm RUBBER BREAKER RHINO SKIN

A layer of 5mm thick, special high elastic rubber, most effective protection breaker for bicycle tires, even a thumbtack won't harm it. Usually used in city/urban tires application.



★★★★☆
Protection Grade



3mm RUBBER BREAKER HIPPO SKIN PRO

A layer of 3mm rubber breaker, the extra puncture protection combined with the rubber-reinforced sidewalls ensures a high level of puncture protection and sidewall abrasion. Specially designed for cargo tires, where durability is the main focus.



★★★★☆
Protection Grade



40x40 NYLON BREAKER SHARK SKIN+

The upgrade edition of SHARK SKIN, using 40X40 Nylon Canvas as breaker material, provide super puncture and tear resistance.



★★★☆☆
Protection Grade



1.5mm KEVLAR® FLOC BREAKER HIPPO SKIN

Kevlar Floc as a composite of mixture rubber and Kevlar fiber, 1.5mm layer between tread and casing, which improve the rigid of tire and puncture protection. It will be applied in range of city/urban tires.



★★★☆☆
Protection Grade



NYLON BREAKER SHARK SKIN

High density Nylon breaker will not only keep light weight, but also provide highly puncture protection from glass, debris and other materials with sharp edge.

SIDEWALL PROTECTION

SPS(SHARK SKIN protection system on sidewall) present a great cut-resistant performance on sidewall against sharp rocks.



SPS SHARK SKIN PROTECTION SYSTEM ON SIDEWALL

Choose S+PS(Shark skin+ Protection System on sidewall), will give you more confidence to ride, through the Rocky terrain, and treacherous trails where the risk of sidewall cuts and abrasions is high. Also very suited for tubeless ready tire conversion. It can save half quantity of sealing liquid, and keep the air pressure longer.



S+PS SHARK SKIN + PROTECTION SYSTEM ON SIDEWALL

BEAD TO BEAD PROTECTION

Based on SHARK SKIN+ technology, while offers protection from Bead to Bead. This additional all-round puncture protection layer make the casings extremely durable against different damage.



B to B SHARK SKIN + BEAD TO BEAD

The Pro edition of "B to B", keep the same extreme protection for carcass, meanwhile the special rubber inside the carcass layers provides strengthened sidewall to ensure stability during freeride and downhill.



B to B PRO SHARK SKIN + BEAD TO BEAD BUTYL IN SIDE

DOWNHILL PROTECTION

Extra butyl rubber offers extra safety and bead anti-puncture ability, to prevent pinch flats at low air pressure, also helps protect rim from hard hits and keep tire beads seat firmly with rim. Especially made for freeride and downhill use.



PRO BEAD BUTYL INSERTED REINFORCED BEAD

DUAL DEFENSE DUAL PLY CASING EXTRA DEFENSE

COMPOUNDS

MODEL	PROFILE	HARDNESS	PERFORMANCE
		SOFT MEDIUM SOFT BASE	■ Stabilization base ensures easy riding. Center compound offers fast rolling. Soft shoulder makes grippy performance.
		SUPER SOFT MEDIUM SOFT BASE	■ Perfect balance between 3C-XC and 3C-DH compound. Grippy than XC compound, while provides lower rolling resistance and better treadwear than 3C-DH compound.
		EXTREMELY SOFT SUPER SOFT BASE	■ Stabilization base ensures precise traction. Low rebounding Super soft center and extremely soft shoulder offers ultimate grip and cornering.
		EXTREMELY SOFT BASE	■ Extremely soft single 42a hardness compound for DOWNHILL using, super low rebound and high traction performance.
		MEDIUM	■ Our special super light compound for XC, used in our lightest Merlin series, make you faster and faster, the Sky is no limit.
		MEDIUM SOFT SOFT	■ Based on S85 Silica compound, for super fast XC racing, specially used in smooth tread pattern tire, ride in good road condition.
		SUPER SOFT MEDIUM SOFT	■ Excellent traction and cornering grip for AM and FR tire.
		SOFT BASE 2C	■ Our basic high performance dual compound for mountain tire.

COMPOUNDS

MODEL	PROFILE	HARDNESS	PERFORMANCE
		TREAD SHOULDER	■ Professional racing compound with super grip and lowest rolling resistance performance.
		TREAD SHOULDER	■ All condition road racing compound offers excellent grip and low rolling resistance, while provides exceptional tread wear.
		TREAD SHOULDER	■ Our performance compound for all condition training use, with ideal durability and grip, usually comes with anti-puncture technology like Shark Skin or Hippo Skin. Extra mileage for extra fun!
		BASE	■ Economical choice to have a taste of our magical Silica compound.
		TREAD COLOR SHOULDER	■ Our high performance dual compound for colorful shoulder road tire.
		TREAD	■ The E-bike compound is developed especially for E-bike use. It has a low rolling resistance and excellent high speed grip, keeps your safety in fast cornering. The 50km/h compound has even better grip and mileage.
		TREAD	■ The E-MOTO compound is developed especially for E-CARGO use. It has excellent wear resistance, meets EU environmental protection requirements.



UNIQUE SILICA COMPOUND FOR ROAD RACING



TREAD
SHOULDER

■ Professional racing compound with super grip and lowest rolling resistance performance.



TREAD
SHOULDER

■ All condition road rcing compound offers excellent grip and low rolling resistance, while provides exceptional tread wear.



TREAD
SHOULDER

■ Our performance compound for all condition training use, with ideal durability and grip, usually comes with anti-puncture technology like Shark Skin or Hippo Skin.
Extra mileage for extra fun!



BASE

■ Economical choice to have a taste of our magical Silica compound.

	SILICA-MAXX	SILICA-SPEED	SILICA-TRAINING	SILICA
GRIP	////	////	////	////
ROLLING RESISTANCE	////	////	////	////
MILEAGE	////	////	////	////

ABOUT SILICA TECH


■ With years of experience in Ultra High Performance car tires, we adapted our unique SILICA technology to bicycle racing tires perfectly.

It is known that better grip comes with higher rolling resistance. Our unique Silica Tech keeps an ideal balance between tire rolling resistance and grip performance.

Silica material effectively reduces friction between rubber atoms, thus lower energy consumption and provides lower rolling resistance.

Tires with our unique Silica Tech compound have soft and flexible tread, which helps enlarge the contact area to boost perfect grip ability.

ROAD





ZUPER R8

700C



ZUPER R6

700C



ZUPER R4

700C



MINI SHARK

- Small diamonds profile provides excellent cornering and grip performance on both dry and wet road condition.
- Hippo Skin protection assures ideal puncture resistance ability on gravel road.
- Dual corlor available!

700C

ZUPER R8H-498/H-498TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
	700×28C	28-622	TLR/B TO B/Dino Skin	Silica Maxx	120	Black	Foldable	
	700×28C	28-622	Shark Skin	Silica Training	60	Black	Wire	
	700×25C	25-622	TLR/B TO B/Dino Skin	Silica Maxx	120	Black	Foldable	
	700×25C	25-622	Shark Skin	Silica Training	60	Black	Wire	

ZUPER R6H-496

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
	700×28C	28-622	Dino Skin	Silica Maxx	120	Black	Foldable	246
	700×28C	28-622	/	Silica Training	60	Black	Wire	315
	700×25C	25-622	Dino Skin	Silica Maxx	120	Black	Foldable	225

ZUPER R4H-494

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
NEW	EB50205005F	700×28C	28-622	Dino Skin	Silica Maxx	120	Black	Foldable	/
NEW	EB50205006F	700×28C	28-622	B To B	Silica	120	Black	Foldable	/
	EB50205002F	700×25C	25-622	B To B	Silica	120	Black	Foldable	250
	EB50205003F	700×25C	25-622	/	Silica	120	Black	Foldable	180

MINI SHARKH-457

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
		700×28C	28-622	Shark Skin	Silica-Training	60	Tanwall	Foldable	
	W211094	700×28C	28-622	/	Single	30	Black	Wire	370
		700×28C	28-622	/	Single	30	Tanwall	Wire	370
	W311126	700×28C	28-622	Shark Skin	Single	30	Black	Wire	420
		700×25C	25-622	Shark Skin	Silica-Training	60	Tanwall	Foldable	
	W311125	700×25C	25-622	Shark Skin	Single	30	Black	Wire	380



VIPER TRAINING

- First choice for Training road bikes!
- Equipped with Chaoyang exclusive Dino Skin(Kevlar) anti-puncture techniques, just throw away your anxiety for flat tires and keep riding,it's the most LITE weight and top anti-puncture protected for training road bike tire.
- Silica Training compound is ideal durability and grip in our Unique Silica tech, extra mileage for extra fun

700C

VIPER TRAINING

H-479

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E311013	700×28C	28-622	Dino Skin	Silica-Training	60	Black	Foldable	320
E311014	700×25C	25-622	Dino Skin	Silica-Training	60	Black	Foldable	280
E311015	700×23C	23-622	Dino Skin	Silica-Training	60	Black	Foldable	240



VIPER DURO

- KM eater !
- Equipped with specially Shark Skin+ anti-puncture techniques, keep you just riding without flat worried. Silica Training compound is ideal durability and grip in our Unique Silica tech, extra mileage for extra fun.
- Color shoulder is available.

700C

VIPER DURO

H-479

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E311016	700×28C	28-622	Shark Skin+	Silica-Training	60	Black	Foldable	330
E311033	700×28C	28-622	Dino Skin/ B to B	Silica-Training	60	Black	Foldable	400
E311029	700×25C	25-622	Shark Skin+	2C-Road	60	Black	Foldable	315
	700×25C	25-622	Shark Skin+	2C-Road	60	Colored Stripe	Foldable	315
E311017	700×25C	25-622	Shark Skin+	Silica-Training	60	Black	Foldable	315
E311032	700×25C	25-622	Dino Skin/ B to B	Silica-Training	60	Black	Foldable	345
E311022	700×23C	23-622	Shark Skin+	Silica-Training	60	Black	Foldable	250
E311031	700×23C	23-622	Dino Skin/ B to B	Silica-Training	60	Black	Foldable	300



VIPER

- Continuous smooth center equipped with roughness on shoulder allows for optimal traction and stability while cornering
- Superlite casing is built for easier, fast rolling and also superb wet traction



700C

VIPER


H-479

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W311089	700×28C	28-622	Shark Skin	Single	60	Black	Wire	385
W311127	700×28C	28-622	Shark Skin	Single	60	Black	Foldable	325
W311082	700×25C	25-622	Shark Skin	Single	60	Black	Wire	345
W311076	700×25C	25-622	Shark Skin	Single	60	Black	Foldable	285
	700×25C	25-622	Shark Skin	2C-Road	60	Colored Stripe	Foldable	295
W311093	700×23C	23-622	Shark Skin	Single	60	Black	Wire	300
W311078	700×23C	23-622	Shark Skin	Single	60	Black	Foldable	240
	700×23C	23-622	Shark Skin	2C-Road	60	Colored Stripe	Foldable	265



ATTACK PARD

- A grooved slick center designed for minimal rolling resistance and optimal accelerating performance can ensure an improved ride comfort
- Wave-shaped shoulder grooves will provide enough grip while high speed cornering and outstanding wet traction
- We will also engineer the tire with special puncture protection structure to keep the tire from penetration effectively



700C 26"

ATTACK PARD

H-5128

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W311132	700×28C	28-622	Shark skin	Single	60	Black	Wire	/
	700×28C	28-622	Hippo Skin	2C-Road	30	Colored Stripe	Wire	395
	700×28C	28-622	/	Single	30	Colored	Wire	430
W311038	700×28C	28-622	/	Single	30	Black	Wire	340
W311042	700×28C	28-622	Hippo Skin	Single	30	Black	Wire	375
W311036	700×25C	25-622	Shark Skin	Single	60	Black	Wire	355
	700×25C	25-622	/	2C-Road	30	Colored Stripe	Wire	380
W311020	700×25C	25-622	/	Single	30	Black	Wire	/
W311130	700×25C	25-622	Shark Skin	Single	30	Black	Wire	385
W311006	700×23C	23-622	Shark Skin	2C-Road	60	Black	Foldable	245
W311005	700×23C	23-622	Shark Skin	Single	60	Black	Wire	305
	700×23C	23-622	/	2C-Road	30	Colored Stripe	Wire	325
W311001	700×23C	23-622	/	Single	30	Black	Wire	/
	700×23C	23-622	Hippo Skin	Single	30	Colored	Wire	475
W308005	26×1	25-559	/	Single	30	Black	Wire	310



SPEED SHARK

- Arrow head tread center is the best guarantee of excellent straight line steering and control without sacrificing grip and acceleration, and minimized rolling resistance can provide you with more efficient and comfort riding
- With its balanced tread pattern has bikes rolling effortlessly down roads and paths, while its finely siped shoulder grooves provide sure footed grip in curves

700C

SPEED SHARK

H-419

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W311131	700×28C	28-622	Shark Skin	Single	60	Black	Wire	405
W211098	700×28C	28-622	Rhino Skin	Single	60	Black/ Reflex	Wire	/
W311044	700×28C	28-622	/	Single	30	Black	Wire	405
W311028	700×25C	25-622	Shark Skin	Single	60	Black	Wire	370
W311029	700×25C	25-622	Shark Skin	Single	60	Black	Foldable	305
W211102	700×25C	25-622	Rhino Skin	Single	60	Black	Wire	/
W311026	700×25C	25-622	/	Single	30	Black	Wire	365
W211097	700×23C	23-622	Shark Skin	Single	60	Black	Foldable	235
W311008	700×23C	23-622	/	Single	30	Black	Wire	315



DOLPHIN

- Perfect touch between tire and road surface and excellent wear resistance which benefits from the intensive selected dual tread compound by our engineers
- Diamond knurled pattern armed on both side of center tread provide perfect turning traction and grip, and excellent straight accelerating and cornering handling performance can be ensured by central smooth tread
- Safety of rider can be ensured maximally result from Kevlar belt which is capable to provide fully puncture resistance protection

26" 24" 22" 650

DOLPHIN

H-470

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W308002	26×1	23-571	/	Single	60	Black	Wire	290
W307001	24×1	23-520	/	Single	30	Black	Wire	275
W306001	22×1	23-470	/	Single	30	Black	Wire	260
W314001	650×23C	23-571	/	Single	30	Black	Wire	320

H-495

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
	700×30C	30-622	/	Single	30	Black	Wire	
	700×30C	30-622	/	Silica Training	60	Tanwall	Wire	



H - 495


700C

The new E-Bike reference



E-CITY AS H-5254E E-CITY AS H-5255E E-CITY AS H-5256E E-PLUS PLUS AT H-5246ETR E-PLUS PLUS MT H-5247ETR E-PLUS PLUS GP H-5232E E-CARGO H-5257E E-CARGO H-5260E E-CARGO BEETLE H-5213E E-CARGO H-5253E NEW E-BIKE BEETLE H-5213E E-BIKE OFFROAD AT H-5135E E-BIKE OFFROAD MT H-5162E E-BIKE URBEN H-481E E-BIKE CITY H-480E E-BIKE TOUR H-5126E E-BIKE FOLDING H-569 E-ROAD A-902E

E-CITY AS NEW



E-CITY AS

28"

E-CITY AS H-5254E

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
NEW	EB90106002W	28×2.0	50-622	Rhino Skin/ Gumwall	E-maxx	60	Black/ Reflex	Wire	953	E-bike 50

E-CITY AS

28"

E-CITY AS H-5255E

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
NEW	EB90406001W	28×2.0	50-622	Rhino Skin/ Gumwall	E-maxx	60	Black/ Reflex	Wire	1093	E-bike 50

E-CITY AS

28"

E-CITY AS H-5256E

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
NEW	EB90506001W	28×2.0	50-622	Rhino Skin/ Gumwall	E-maxx	60	Black/ Reflex	Wire	1203	E-bike 50



E-PLUS

PLUS AT

■ Benefited from its reinforced directionalcenter knobs cooperated with inconsistent in-mid small lugs, you will be capable to master all challenges from sandy or tarmac tracks with its high grip and minimal rolling resistance.

27.5"



PLUS AT H-5246ETR

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
NEW	EB90701001F	27.5×2.8	71-584	SPS	2C-MTB	60	Black	Foldable	1086	E-bike 50

PLUS MT

27.5"



PLUS MT H-5247ETR

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
NEW	EB90601001F	27.5×2.8	71-584	SPS	2C-MTB	60	Black	Foldable	1106	E-bike 50

PLUS GP

■ Smooth central tread pattern helps lower the rolling resistance and a quiet riding experience.

■ The water evacuation groove and diamond design on the shoulder provide a perfect grip on wet condition.

27.5"



PLUS GP H-5232E

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
	W713004	27.5×2.8	71-584	2×Shark Skin	Silica Training	60	Black	Foldable	795	E-bike 50

E-CARGO NEW

26" 24" 20"



E-CARGO H-5257E

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
NEW	EB90903001W	26×2.35	60-559	Dual Defence	E-maxx	60	Black/ Reflex	Wire	845	E-bike 50
NEW	EB90903002W	26×2.35	60-559	Dual Defence/Hippo Skin/Gumwall	E-maxx	60	Black/ Reflex	Wire	1,145	E-bike 50
NEW	EB90903003W	26×2.35	60-559	Dual Defence/Hippo Skin Pro /Gumwall	E-maxx	30	Black/ Reflex	Wire	1,379	E-bike 50
NEW	EB90903004W	26×2.15	55-559	DT-Defense/Hippo Skin Pro /Gumwall	E-Moto	60	Black/ Reflex	Wire		
NEW	EB90904001W	24×2.35	60-507	DT-Defense/Hippo Skin Pro /Gumwall	E-Moto	60	Black/ Reflex	Wire		
NEW	EB90904002W	24×2.15	55-507	DT-Defense/Hippo Skin Pro /Gumwall	E-Moto	60	Black/ Reflex	Wire		
NEW	EB90908003W	20×2.35	60-406	DT-Defense/Hippo Skin Pro /Gumwall	E-Moto	60	Black/ Reflex	Wire		
NEW	EB90908004W	20×2.15	55-406	DT-Defense/Hippo Skin Pro /Gumwall	E-Moto	60	Black/ Reflex	Wire		

20"



E-CARGO H-5260E

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
NEW		20×4.50	114-406	DT-Defense	E-moto	/	Black	Wire	2,553	E-bike 50
NEW	EB90908002W	20×4.50	114-406	Dual Defence/Hippo Skin Pro /Gumwall	E-maxx	60	Black	Wire	2,293	E-bike 50
NEW	EB90908001W	20×4.50	114-406	Dual Defence/Hippo Skin/Gumwall	E-maxx	30	Black	Wire	2,327	E-bike 50

24" 20"



E-CARGO BEETLE H-5213E

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
		24×3.0	76-507	Hippo Skin Pro/Gumwall	Single	30	Black	Wire		
		20×3.0	76-406	/	Single	30	Black	Wire	745	
		20×3.0	76-406	Hippo Skin Pro/Gumwall	Single	30	Black/ Reflex	Wire	910	
		20×2.50	64-406	/	Single	30	Black	Wire		
		20×2.50	64-406	Hippo Skin Pro	Single	30	Black/ Reflex	Wire		
		20×2.50	64-406	Hippo Skin/DT-Defense/ Gumwall	E-Moto	/	Black/ Reflex	Wire		E-bike 50
		20×2.20	56-406	Hippo Skin Pro/Gumwall	Single	30	Black/ Reflex	Wire		

20"



E-CARGO H-5253E

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
		20×3.0	76-406	Hippo Skin/DT-Defense/ Gumwall	E-Moto	/	Black/ Reflex	Wire		E-bike 50

E-BIKE

BEETLE

29" 28" 27.5" 26" 24"

BEETLE H-5213/H-5213E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
	29×2.25	54-622	Hippo Skin	Single	30	Black	Wire		
	28×2.0	50-622	/	Single	30	Black	Wire	625	
	28×2.0	50-622	Hippo Skin	Single	30	Black/ Reflex	Wire	700	
	27.5×2.60	66-584	/	Single	30	Tanwall/ Reflex	Wire		
	27.5×2.60	66-584	Hippo Skin	Single	30	Black/ Reflex	Wire	1165	
	27.5×2.40	60-584	Hippo Skin	Single	30	Black/ Reflex	Wire	1030	
	27.5×2.25	54-584	Hippo Skin	Single	30	Black/ Reflex	Wire	975	
	27.5×2.10	52-584	Hippo Skin	Single	30	Black/ Reflex	Wire	885	
	27.5×1.95	47-584	/	Single	30	Black	Wire		
	27.5×1.95	47-584	Hippo Skin	Single	30	Black/ Reflex	Wire	825	
	26×2.15	54-559	Hippo Skin	Single	30	Black/ Reflex	Wire	850	
	26×1.95	47-559	/	Single	30	Black	Wire		
	26×1.95	47-559	Hippo Skin	Single	30	Black/ Reflex	Wire	790	
	26×1.95	47-559	Rhino Skin/Gumwall	2C-MTB	60	Black/ Reflex	Wire	1105	
	24×3.0	76-520	Hippo Skin/Gumwall	Single	30	Black/ Reflex	Wire		

OFFROAD AT

■ The E-liner offroad AT is an allrounder that is built for light off-road use. Tight center knobs ensure a low rolling resistance, more comfort while riding on all kind of surfaces.

29" 27.5" 26"

OFFROAD AT H-5135E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
W712002	29×2.25	57-622	B TO B	2C-MTB	60	Black	Foldable	990	E-bike 50
W713002	27.5×2.25	57-584	B TO B	2C-MTB	60	Black	Foldable	975	E-bike 50
W708002	26×2.25	57-559	B TO B	2C-MTB	60	Black	Foldable	935	E-bike 50

E-BIKE

OFFROAD MT

■ For all kind of wild tracks, the E-Liner offroad MT is the right choice. The aggressive knob design provides exceptional cornering grip and break performance when it's needed.

29" 27.5" 26"

OFFROAD MT H-5162E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
W712001	29×2.25	54-622	B TO B	2C-MTB	60	Black	Foldable	905	E-bike 50
W713001	27.5×2.25	54-584	B TO B	2C-MTB	60	Black	Foldable	870	E-bike 50
W708001	26×2.25	54-559	B TO B	2C-MTB	60	Black	Foldable	840	E-bike 50

URBAN

■ Smooth tread center for low rolling resistance coordinated with variety size of grooves is good for wet traction also
■ Lateral shoulder ramp knob provides effective reinforce traction on both wet and debris surface also excellent cornering stability

28" 700C

URBEN H-481E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
W710001	28×2.0	50-622	Rhino Skin/ SPS	E-maxx	60	Black/ Reflex	Wire	1,075	E-bike 50
W710003	28×2.0	50-622	Rhino Skin/ Gumwall	E-maxx	60	Black/ Reflex	Wire	/	E-bike 50
W711011	700×38C	40-622	Rhino Skin/ SPS	E-maxx	60	Black/ Reflex	Wire	810	E-bike 50
W711024	700×38C	40-622	Rhino Skin/ Gumwall	E-maxx	60	Black/ Reflex	Wire	/	E-bike 50
W711012	700×35C	37-622	Rhino Skin/ SPS	E-maxx	60	Black/ Reflex	Wire	780	E-bike 50
EB90105002W	700×35C	37-622	Rhino Skin/ Gumwall	E-maxx	60	Black/ Reflex	Wire	/	E-bike 50

E-BIKE

CITY

- Our ideal model for your daily commute. Speed limit up to 50km/h.
- Enjoy your riding with 5mm Rhino Skin puncture resistance layer.

700C



CTIYH-480E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
W711003	700×45C	47-622	Rhino Skin/ SPS	E-maxx	60	Black/ Reflex	Wire	1,055	E-bike 50
W711021	700×45C	47-622	Rhino Skin/ Gumwall	E-maxx	60	Black/ Reflex	Wire	/	E-bike 50
W711004	700×42C	44-622	Rhino Skin/ SPS	E-maxx	60	Black/ Reflex	Wire	925	E-bike 50
EB90405003W	700×38C	40-622	Rhino Skin/ SPS	E-maxx	60	Black/ Reflex	Wire	810	E-bike 50
W711023	700×38C	40-622	Rhino Skin/ Gumwall	E-maxx	60	Black/ Reflex	Wire	/	E-bike 50
W711006	700×35C	37-622	Rhino Skin/ SPS	E-maxx	60	Black/ Reflex	Wire	780	E-bike 50
W711022	700×35C	37-622	Rhino Skin/ Gumwall	E-maxx	60	Black/ Reflex	Wire	/	E-bike 50
W711005	700×32C	32-622	Rhino Skin/ SPS	E-maxx	60	Black/ Reflex	Wire	690	E-bike 50

TOUR

700C



TOURH-5126E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
EB90505001W	700×40C	42-622	Rhino Skin/ SPS	E-maxx	60	Black/ Reflex	Wire	870	E-bike 50
W711020	700×40C	42-622	Rhino Skin/ Gumwall	E-maxx	60	Black/ Reflex	Wire	/	E-bike 50
EB90505002W	700×38C	40-622	Rhino Skin/ SPS	E-maxx	60	Black/ Reflex	Wire	785	E-bike 50
EB90505005W	700×38C	40-622	Rhino Skin/ Gumwall	E-maxx	60	Black/ Reflex	Wire	/	E-bike 50
EB90505003W	700×35C	37-622	Rhino Skin/ SPS	E-maxx	60	Black/ Reflex	Wire	710	E-bike 50
EB90505006W	700×35C	37-622	Rhino Skin/ Gumwall	E-maxx	60	Black/ Reflex	Wire	/	E-bike 50

E-BIKE

FOLDING

20"16"



FOLDINGH-569

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
W705003	20×1.75	47-406	Hippo Skin/ Gumwall	Single	60	Black/ Reflex	Wire	/	
W703001	16×1.75	47-305	Hippo Skin	Single	60	Black	Wire	320	

E-ROAD

E-LINER ROAD

- The V-shape groove across the tread plus Silica Training compound provide a pefect grip and acceleration.
- Tiny grooves on the shoulder help improve cornering performance.
- 2X Shark Skin protection ensures a strong casing for safe and durable training.

700C



E-LINER ROADA-902E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
W711001	700×32C	32-622	NN40 B to B/ Dino Skin	Silica Training	60	Black	Foldable	390	E-bike 50
W711002	700×28C	28-622	NN40 B to B/ Dino Skin	Silica Training	60	Black	Foldable	335	E-bike 50



GRAVEL

GRAVEL GP
H-5224
TR

GRAVEL AT
H-5243
TR

GRAVEL MT
H-5244
TR

H-5223

29" 700C

GRAVEL GP

H-5224/H-5224TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
EB80101001F	29×2.0	50-622	TLR/ SPS/ Shark Skin	2C-MTB	120	Black	Foldable	/
EB80101002F	29×2.0	50-622	TLR/ Shark Skin	2C-MTB	60	Black	Foldable	/
EB80101003F	29×2.0	50-622	TLR/ SPS	2C-MTB	60	Black	Foldable	/
EB80101001W	29×2.0	50-622	Shark Skin	Single	60	Black	Wire	/
EB80105010F	700×45C	47-622	Shark Skin	2C-MTB	120	Black	Foldable	/
EB80105011F	700×45C	47-622	Shark Skin	2C-MTB	60	Black	Foldable	/
EB80105012F	700×45C	47-622	SPS	2C-MTB	60	Black	Foldable	/
EB80105006W	700×45C	47-622	Shark Skin	Single	60	Black	Wire	/
EB80105007F	700×40C	42-622	Shark Skin	2C-MTB	120	Black	Foldable	/
EB80105008F	700×40C	42-622	Shark Skin	2C-MTB	60	Black	Foldable	/
EB80105009F	700×40C	42-622	SPS	2C-MTB	60	Black	Foldable	/
EB80105015F	700×40C	42-622	TLR/ SPS	2C-MTB	60	Tanwall	Foldable	/
EB80105005W	700×40C	42-622	Shark Skin	Single	60	Black	Wire	/
EB80105004F	700×38C	40-622	TLR/ Shark Skin	2C-MTB	120	Black	Foldable	/
EB80105014F	700×38C	40-622	TLR/ SPS	2C-MTB	60	Tanwall	Foldable	/
EB80105005F	700×38C	40-622	TLR/ Shark Skin	2C-MTB	60	Black	Foldable	/
EB80105006F	700×38C	40-622	TLR/ SPS	2C-MTB	60	Black	Foldable	/
EB80105003W	700×38C	40-622	Shark Skin	Single	60	Black	Wire	/
EB80105001F	700×35C	37-622	Shark Skin	2C-MTB	120	Black	Foldable	/
EB80105002F	700×35C	37-622	Shark Skin	2C-MTB	60	Black	Foldable	/
EB80105003F	700×35C	37-622	SPS	2C-MTB	60	Black	Foldable	/
EB80105013F	700×35C	37-622	TLR/ SPS	2C-MTB	60	Tanwall	Foldable	/
EB80105001W	700×35C	37-622	Shark Skin	Single	60	Black	Wire	/
EB80105002W	700×35C	37-622	/	Single	60	Tanwall	Wire	/
	700×32C	32-622	/	Single	30	Tanwall	Wire	/



GRAVEL GP

■ The dense arranged knobs in the centre of Gravel GP are designed for a low rolling resistance. The diamond shaped knobs open up direction shoulder to provide cornering grip and help evacuation in rainy conditions. These qualities make the Gravel GP the fastest tire of our Gavel family for on road and dry off road conditions or a perfect rear in combination with Gravel AT or MT.



GRAVEL AT

■ Gravel AT the allrounder in the Gravel category brings together all the positive attributes to guarantee a worry-free riding on and off road. The directional arrow treads balance rolling resistance and traction and help to vent water and debris. The additional lug on the open designed shoulder strengthens the knobs while cornering. On road or off road this tire can do it all.



GRAVEL MT

■ The Gravel MT is the roughest pattern of the Gravel family and designed for off road use. Numerous solid small blocks provide a stable performance on the brakes and while cornering on gravel roads and trails even in harsh conditions. If you want to explore Mountain Bike terrain with your Gravel Bike the Gravel MT is your choice.



H-5223

GRAVEL AT

H-5243/H-5243TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
EB80405001F	700×38C	40-622	TLR/ SPS/ Shark Skin	2C-MTB	120	Black	Foldable	/
EB80405002F	700×38C	40-622	TLR/ Shark Skin	2C-MTB	60	Tanwall	Foldable	/
EB80405003F	700×38C	40-622	TLR/ SPS	2C-MTB	60	Black	Foldable	/
EB80405001W	700×38C	40-622	Shark Skin	Single	60	Black	Wire	/

GRAVEL MT

H-5244/H-5244TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
EB80505001F	700×38C	40-622	TLR/ SPS/ Shark Skin	2C-MTB	120	Black	Foldable	/
EB80505002F	700×38C	40-622	TLR/ Shark Skin	2C-MTB	60	Black	Foldable	/
EB80505003F	700×38C	40-622	TLR/ SPS	2C-MTB	60	Black	Foldable	/
NEW EB80505005F	700×38C	40-622	TLR/ SPS	2C-MTB	60	Tanwall	Foldable	/
EB80505001W	700×38C	40-622	Shark Skin	Single	60	Black	Wire	/

GRAVEL

H-5223

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
	700×40C	42-622	/	Single	30	Black	Wire	560

1:25:14
+0:20
+0:34
1:25:14
+ 35
FINISH



XC / MARATHON



PHANTOM
SPEED
H-5233
TR



PHANTOM
DRY
H-5234
TR



PHANTOM
WET
H-5235
TR



PHANTOM
MUD
H-5236
TR

PHANTOM SPEED NEW

29"

■ If you are looking for the fastest option than take Phantom Speed. It's small low center knobs have an excellent rolling resistance combined with aggressive shoulder knobs, you don't have to be afraid of the next corner.



PHANTOM SPEED H-5233/H-5233TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
EB10801009F	29×2.3	58-622	TLR/ SPS/ WRE	Silica Control	120	Black	Foldable	708
EB10801008F	29×2.3	58-622	TLR/ WRE	Silica Control	120	Black	Foldable	642
EB10801006F	29×2.3	58-622	TLR/ SPS/ WRE	Silica Control	60	Tanwall	Foldable	/
EB10801007F	29×2.3	58-622	TLR/ SPS/ WRE	Silica Control	60	Black	Foldable	/
EB10801002F	29×2.2	56-622	TLR/ SPS	Silica Control	120	Black	Foldable	/
EB10801003F	29×2.2	56-622	TLR	2C-MTB	60	Black	Foldable	/
EB10801004F	29×2.2	56-622	TLR/ SPS	2C-MTB	60	Black	Foldable	/
EB10801005F	29×2.2	56-622	TLR/ SPS	2C-MTB	60	Tanwall	Foldable	/
EB10801001W	29×2.2	56-622	/	Single	60	Black	Wire	/
EB10801002W	29×2.2	56-622	/	Single	30	Black	Wire	/

PHANTOM DRY

NEW

■ For your all-round dry conditions choose Phantom Dry. Its medium height tread provides great traction and control under braking. Tight knobs at the center to minimize rolling resistance, open space on the shoulder gives you safety and stability through the corner.

29" 27.5"



PHANTOM DRY

H-5234/H-5234TR

NEW

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
EB10802011F	29×2.3	58-622	TLR/ WRE	Silica Control	120	Black	Foldable	592
EB10802020F	29×2.3	58-622	TLR/WRE	Silica Control	120	Tanwall	Foldable	
EB10802012F	29×2.3	58-622	TLR/ SPS/ WRE	Silica Control	120	Black	Foldable	/
EB10802014F	29×2.3	58-622	TLR/ SPS/ WRE	Silica Control	60	Black	Foldable	/
EB10802013F	29×2.3	58-622	TLR/ SPS/ WRE	Silica Control	60	Tanwall	Foldable	780
EB10802002F	29×2.2	56-622	TLR/ SPS	Silica Control	120	Black	Foldable	/
EB10802010F	29×2.2	56-622	TLR/ SPS	Silica Control	60	Tanwall	Foldable	703
EB10802003F	29×2.2	56-622	TLR	2C-MTB	60	Black	Foldable	/
EB10802004F	29×2.2	56-622	TLR/ SPS	2C-MTB	60	Black	Foldable	/
EB10802008F	29×2.2	56-622	TLR/ SPS	2C-MTB	60	Tanwall	Foldable	/
EB10802001W	29×2.2	56-622	/	Single	60	Black	Wire	/
EB10802005W	29×2.2	56-622	/	Single	60	Tanwall	Wire	/
EB10802002W	29×2.2	56-622	/	Single	30	Black	Wire	/
EB10802005F	27.5×2.2	56-584	TLR/ SPS	Silica Control	120	Black	Foldable	/
EB10802006F	27.5×2.2	56-584	TLR	2C-MTB	60	Black	Foldable	/
EB10802007F	27.5×2.2	56-584	TLR/ SPS	2C-MTB	60	Black	Foldable	/
EB10802009F	27.5×2.2	56-584	TLR/ SPS	2C-MTB	60	Tanwall	Foldable	/
EB10802003W	27.5×2.2	56-584	/	Single	60	Black	Wire	/
EB10802006W	27.5×2.2	56-584	/	Single	60	Tanwall	Wire	/
EB10802004W	27.5×2.2	56-584	/	Single	30	Black	Wire	/

PHANTOM WET

NEW

■ When the weather becomes more unpredictable the Phantom wet is the tire of choice. Higher knobs with more space in between allow for confident cornering in wet and loose conditions. For your all-round the year careless combination put the Phantom wet on the front combined with the Phantom dry on the rear.

29" 27.5"



PHANTOM WET

H-5235/H-5235TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
	30.5×2.25	57-642	/	2C-MTB	60	Tanwall	Wire	790
EB10803002F	29×2.2	55-622	TLR/ SPS	Silica Control	120	Black	Foldable	/
EB10803003F	29×2.2	55-622	TLR	2C-MTB	60	Black	Foldable	/
EB10803004F	29×2.2	55-622	TLR/ SPS	2C-MTB	60	Black	Foldable	/
EB10803008F	29×2.2	55-622	TLR/ SPS	2C-MTB	60	Tanwall	Foldable	/
EB10803001W	29×2.2	55-622	/	Single	60	Black	Wire	/
EB10803002W	29×2.2	55-622	/	Single	30	Black	Wire	/
EB10803005F	27.5×2.2	56-584	TLR/ SPS	Silica Control	120	Black	Foldable	/
EB10803006F	27.5×2.2	56-584	TLR	2C-MTB	60	Black	Foldable	/
EB10803007F	27.5×2.2	56-584	TLR/ SPS	2C-MTB	60	Black	Foldable	/
EB10803003W	27.5×2.2	56-584	/	Single	60	Black	Wire	/
EB10803004W	27.5×2.2	56-584	/	Single	30	Black	Wire	/

PHANTOM MUD

NEW

■ Designed for muddy conditions without loosing the focus on being rideable when you reach some hardpacked surface. When the conditions turn ugly choose the Phantom mud.

29"



PHANTOM MUD

H-5236/H-5236TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
EB10804002F	29×2.0	50-622	TLR/ SPS	Silica Control	120	Black	Foldable	/
EB10804003F	29×2.0	50-622	TLR	2C-MTB	60	Black	Foldable	/
EB10804004F	29×2.0	50-622	TLR/ SPS	2C-MTB	60	Black	Foldable	/
EB10804005F	29×2.0	50-622	TLR/ SPS	2C-MTB	60	Tanwall	Foldable	/
EB10804001W	29×2.0	50-622	/	Single	60	Black	Wire	/
EB10804002W	29×2.0	50-622	/	Single	30	Black	Wire	/



XC / MARATHON



MERLIN

- Superlight carcass construction specialized in XC riding.
- Shoulder blocks are enlarged to get better cornering grip, especially on dry surface.
- Dual compound provide lower rolling resistance and better durability.
- Reinforced ribs on the block bases make it stronger and ensure continuously kinetic transmission.
- Equipped with CHAOYANG exclusive Dino Skin (Kevlar) anti-puncture techniques, just throw away your anxiety for flat tires and keep riding!

29" 27.5" 26"

MERLIN H-5175/H-5175TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E112025	29×2.20	55-622	TLR/ SPS	S.Lite	120	Black	Foldable	545
E112001	29×1.95	44-622	Dino Skin	S.Lite	120	Black	Foldable	345
E113001	27.5×1.95	44-584	Dino Skin	S.Lite	120	Black	Foldable	320
E108004	26×1.95	44-559	Dino Skin	S.Lite	120	Black	Foldable	305

MERLIN II

29" 27.5" 26"

MERLIN/MERLIN II A-815/A-815TR

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
		29×1.95	50-622	Dino Skin	S.Lite	180	Black	Foldable	
NEW		29×1.95	50-622	TLR/Dino Skin	S.Lite	180	Black	Foldable	
		27.5×1.95	50-584	Dino Skin	S.Lite	180	Black	Foldable	
NEW		27.5×1.95	50-584	TLR/Dino Skin	S.Lite	180	Black	Foldable	
		26×1.95	50-559	Dino Skin	S.Lite	180	Black	Foldable	360
NEW		26×1.95	50-559	TLR/Dino Skin	S.Lite	180	Black	Foldable	

FALCON

- Center pattern block to bridge reinforcement, improve the tire rigidity, make drivers more indeed,
- Shoulder pattern using ladder depth collocation, when high speed cornering, can body dynamic stability, and thus avoid sliding effect.
- Whole area pattern piece order collocation weight loss, in addition to increase performance grounding more can reduce the tire weight, Mud at the bottom of the stripes match again decorative pattern,provide immediate and effective dredge (soil) effect, prevent dirt block pattern block effect.
- Super lightweight tire body, 26X1.95 ,only 410 g, leading the market almost all of the same style tires, with smaller particles completely smooth decorative pattern design, will effectively reduce the resistance by 15%, dry performance more excellent.

29" 27.5" 26" 24"



FALCON H-5185/H-5185TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E112046	29×2.10	54-622	TLR/ SPS	2C-MTB	60	Black	Foldable	755
W108222	29×1.95	47-622	/	2C-MTB	60	Black	Wire	665
W108259	29×1.95	47-622	Shark Skin	2C-MTB	60	Black	Foldable	650
W108221	29×1.95	47-622	/	Single	30	Black	Wire	735
E112048	27.5×2.10	54-584	TLR/ SPS	2C-MTB	60	Black	Foldable	785
W113064	27.5×1.95	47-584	/	2C-MTB	60	Black	Wire	500
W113089	27.5×1.95	47-584	Shark Skin	2C-MTB	60	Black	Foldable	475
W113062	27.5×1.95	47-584	/	Single	30	Black	Wire	565
	26×2.10	52-559	/	Single	30	Black	Wire	
E112050	26×2.0	50-559	TLR/ SPS	2C-MTB	60	Black	Foldable	640
W108225	26×1.95	47-559	/	2C-MTB	60	Black	Wire	475
W108226	26×1.95	47-559	Shark Skin	2C-MTB	60	Black	Foldable	455
W108224	26×1.95	47-559	/	Single	30	Black	Wire	535
	26×1.95	47-559	/	Single	30	Tanwall	Wire	
	24×2.10	52-507	/	Single	30	Black	Wire	
	24×1.95	47-507	/	Single	30	Black	Wire	
	24×1.95	47-507	/	Single	30	Tanwall	Wire	
	22×2.10	52-457	/	Single	30	Black	Wire	



VICTORY

- The tight and numerous small block design ensure the fast accelerating and comfortable riding
- The connections between the block improve the rigid and anti-puncture performance
- The blocks on the shoulder for the cornering and grip assurance

29" 27.5" 26" 24" 700C



VICTORY H-5129/H-5129TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E112044	29×2.20	54-622	TLR/ SPS	2C-MTB	60	Black	Foldable	670
W112085	29×2.20	54-622	/	Single	60	Black	Wire	710
W112075	29×2.20	54-622	/	Single	60	Black	Foldable	625
W112074	29×2.20	54-622	/	Single	30	Black	Wire	755
W112017	29×2.10	52-622	/	2C-MTB	60	Black	Wire	670
W112020	29×2.10	52-622	Shark Skin	2C-MTB	60	Black	Foldable	660
W112016	29×2.10	52-622	/	Single	30	Black	Wire	750
W112022	29×2.0	50-622	/	2C-MTB	60	Black	Wire	650
W112040	29×2.0	50-622	Shark Skin	2C-MTB	60	Black	Foldable	635
W112036	29×2.0	50-622	/	Single	30	Black	Wire	720
W113069	27.5×2.20	54-584	Shark Skin	2C-MTB	60	Black	Wire	685
W113070	27.5×2.20	54-584	Shark Skin	2C-MTB	60	Black	Foldable	630
W113066	27.5×2.20	54-584	/	Single	30	Black	Wire	710
W113072	27.5×2.10	52-584	/	2C-MTB	60	Black	Wire	610
W113065	27.5×2.10	52-584	Shark Skin	2C-MTB	60	Black	Foldable	600
W113061	27.5×2.10	52-584	/	Single	30	Black	Wire	680
W113076	27.5×2.0	50-584	/	2C-MTB	60	Black	Wire	590
W113025	27.5×2.0	50-584	Shark Skin	2C-MTB	60	Black	Foldable	565
W113021	27.5×2.0	50-584	/	Single	30	Black	Wire	650
W113030	27.5×1.95	47-584	Shark Skin	2C-MTB	60	Black	Foldable	560
W113026	27.5×1.95	47-584	/	Single	30	Black	Wire	635
W113035	27.5×1.75	44-584	Shark Skin	2C-MTB	60	Black	Foldable	475
W113031	27.5×1.75	44-584	/	Single	30	Black	Wire	535
W108139	26×2.25	54-559	Shark Skin	2C-MTB	60	Black	Foldable	595
W108136	26×2.25	54-559	/	Single	30	Black	Wire	675
W108145	26×2.10	52-559	/	2C-MTB	60	Black	Wire	610
	26×2.10	52-559	/	2C-MTB	60	Tanwall	Wire	615
W108073	26×2.10	52-559	Shark Skin	2C-MTB	60	Black	Foldable	600
W108068	26×2.10	52-559	/	Single	30	Black	Wire	675
	26×2.10	52-559	/	Single	30	Tanwall	Wire	680
W108049	26×2.0	50-559	Shark Skin	2C-MTB	60	Black	Foldable	540
W108044	26×2.0	50-559	/	Single	30	Black	Wire	615
W108011	26×1.95	47-559	Shark Skin	2C-MTB	60	Black	Foldable	520
	26×1.95	47-559	/	Single	30	Black	Wire	605
	24×2.10	52-507	/	Single	30	Black	Wire	620
	24×2.10	52-507	/	Single	30	Tanwall	Wire	625
	24×1.95	47-559	/	2C-MTB	60	Black	Foldable	450
	24×1.95	47-559	/	Single	30	Black	Wire	550
W611006	700×38C	40-622	Shark Skin	2C-MTB	60	Black	Wire	/
W611004	700×38C	40-622	/	Single	30	Black	Wire	/
W611007	700×33C	40-622	/	Single	60	Black	Wire	/

SPARROW

- Central square knobs provide continuous ride experience and low rolling resistance.
- The V-shape spread knobs help get more grip.

27.5" 26" 24" 22"



SPARROW H-5183

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
	27.5×1.95	47-584	/	Single	30	Tanwall	Wire	
	26×1.95	47-559	/	Single	30	Black	Wire	580
	24×1.95	47-507	/	Single	30	Black	Wire	
	22×1.95	47-457	/	Single	30	Black	Wire	
	22×1.95	47-457	/	Single	30	Tanwall	Wire	

ZIPPERING

- Centerline tread blocks are arranged intersectantly,the densely arranged arc-shaped small blocks, with inverted triangle notches, providing better grip ability and impact damping ability
- Shoulder blocks are 1/3 sparser than centerline part, the combination of these blocks increases adaptability while decreasing the weight. It can be used in various terrains
- All pattern blocks are arranged in V form, and will form big obtuse angles with ground when heading forward, so the tire will have extremely large traction force, especially in cornering condition

29" 27.5" 26"



ZIPPERING H-5166/H-5166TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E112039	29×2.20	55-622	TLR/ SPS	Silica Control	120	Black	Foldable	700
E112014	29×2.20	55-622	TLR/ SPS	Silica Control	60	Black	Foldable	780
E112032	29×2.20	55-622	TLR/ SPS	2C-MTB	60	Black	Foldable	780
W112090	29×2.20	55-622	/	Single	60	Black	Wire	740
W112045	29×2.0	50-622	Shark Skin	2C-MTB	60	Black	Foldable	645
W112041	29×2.0	50-622	/	Single	30	Black	Wire	740
E113012	27.5×2.0	50-584	TLR/ SPS	Silica Control	60	Black	Foldable	635
W113045	27.5×2.0	50-584	Shark Skin	2C-MTB	60	Black	Foldable	590
E113037	27.5×2.0	50-584	TLR/ SPS	2C-MTB	60	Black	Foldable	645
W113041	27.5×2.0	50-584	/	Single	30	Black	Wire	665
E108009	26×2.10	52-559	TLR/ SPS	Silica Control	60	Black	Foldable	640
W108184	26×2.10	52-559	Shark Skin	2C-MTB	60	Black	Foldable	555
E108037	26×2.10	52-559	TLR/ SPS	2C-MTB	60	Black	Foldable	595
W108180	26×2.10	52-559	/	Single	30	Black	Wire	650
W108189	26×1.95	47-559	Shark Skin	2C-MTB	60	Black	Foldable	500
W108185	26×1.95	47-559	/	Single	30	Black	Wire	585

EVOLUTION

- Do not worry, your high-speed cornering and precisely response can be ensured by the brand new design of large block side knobs definitely
- The design from our engineer with the center tread not only for excellent braking, optimal steering ability and accelerating, but also minimized rolling resistance



29" 27.5" 26"



EVOLUTION

H-5120

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112002	29×2.0	50-622	/	2C-MTB	60	Black	Wire	650
W112005	29×2.0	50-622	Shark Skin	2C-MTB	60	Black	Foldable	635
W112001	29×2.0	50-622	/	Single	30	Black	Wire	720
W113083	27.5×2.10	52-584	/	2C-MTB	60	Black	Wire	630
W113075	27.5×2.10	52-584	Shark Skin	2C-MTB	60	Black	Foldable	620
W113071	27.5×2.10	52-584	/	Single	30	Black	Wire	695
W108066	26×2.10	52-559	Shark Skin	2C-MTB	60	Black	Foldable	585
	26×2.10	52-559	Shark Skin	2C-MTB	60	Colored Stripe	Foldable	600
W108061	26×2.10	52-559	/	Single	30	Black	Wire	675
	26×2.10	52-559	/	Single	30	Colored Stripe	Wire	735
W108006	26×1.95	47-559	Shark Skin	2C-MTB	60	Black	Foldable	525
	26×1.95	47-559	Shark Skin	2C-MTB	60	Colored Stripe	Foldable	525
W108001	26×1.95	47-559	/	Single	30	Black	Wire	605
	26×1.95	47-559	/	Single	30	Colored Stripe	Wire	605

HORNET

- Only high speed rolling & stable cornering can be the king of Cyclocross race! Benefitted from its reinforced directional center knobs cooperated with inconsistent in-mid small lugs, you will be capable to master all challenges from sandy or tarmac tracks with its high grip and minimal rolling resistance.

29" 27.5" 26"



HORNET

H-5161/H-5161TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E112040	29×2.10	52-622	TLR/ SPS	Silica Control	120	Black	Foldable	775
W112061	29×2.10	52-622	/	2C-MTB	60	Black	Wire	690
W112025	29×2.10	52-622	Shark Skin	2C-MTB	60	Black	Foldable	680
E112033	29×2.10	52-622	TLR/ SPS	2C-MTB	60	Black	Foldable	860
W112021	29×2.10	52-622	/	Single	30	Black	Wire	760
W112010	29×2.0	50-622	Shark Skin	2C-MTB	60	Black	Foldable	645
W112006	29×2.0	50-622	/	Single	30	Black	Wire	740
E113046	27.5×2.10	52-584	TLR/ SPS	Silica Control	120	Black	Foldable	685
E113015	27.5×2.10	52-584	TLR/ SPS	2C-MTB	60	Black	Foldable	710
W113010	27.5×2.10	52-584	Shark Skin	2C-MTB	60	Black	Foldable	675
W113006	27.5×2.10	52-584	/	Single	30	Black	Wire	755
W113005	27.5×2.0	52-584	Shark Skin	2C-MTB	60	Black	Foldable	580
W113001	27.5×2.0	52-584	/	Single	30	Black	Wire	650
E108044	26×2.10	52-559	TLR/ SPS	Silica Control	120	Black	Foldable	655
E108012	26×2.10	52-559	TLR/ SPS	2C-MTB	60	Black	Foldable	670
W108284	26×2.10	52-559	Shark Skin	2C-MTB	60	Black/ Reflex	Wire	705
W108097	26×2.10	52-559	Shark Skin	2C-MTB	60	Black	Foldable	640
W108093	26×2.10	52-559	/	Single	30	Black	Wire	725
W108053	26×2.0	50-559	Shark Skin	2C-MTB	60	Black	Wire	585
W108054	26×2.0	50-559	Shark Skin	2C-MTB	60	Black	Foldable	535
W108050	26×2.0	50-559	/	Single	30	Black	Wire	620
W108037	26×1.95	47-559	Shark Skin	2C-MTB	60	Black	Foldable	520
W108033	26×1.95	47-559	/	Single	30	Black	Wire	605





ALL MOUNTAIN



PREDATOR
AMR
H-5248TR



PREDATOR
AMF
H-5249TR



HORNET
H-5161TR



FAST LANE
H-5197
TR



COUGAR
H-5134
TR



RAMPAGE
H-5162

PREDATOR AMR NEW

29"



PREDATOR AMR

H-5248TR

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
NEW	EB20201001F	29×2.50	64-622	SPS/TLR	Silica control	120	Black	Foldable	
NEW	EB20201002F	29×2.50	64-622	TLR/ SPS	2C-AM	120	Black	Foldable	961
NEW	EB20201004F	29×2.35	64-622	TLR/ SPS	2C-AM	120	Black	Foldable	

PREDATOR AMF NEW

29"



PREDATOR AMF

H-5249TR

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
NEW	EB20101001F	29×2.50	64-622	SPS/TLR	Silica control	120	black	Foldable	
NEW	EB20101002F	29×2.50	64-622	TLR/ SPS	2C-AM	120	Black	Foldable	961
NEW	EB20101004F	29×2.35	64-622	TLR/ SPS	2C-AM	120	Black	Foldable	

HORNET

■ Only high speed rolling & stable cornering can be the king of Cyclocross race! Benefited from its reinforced directional center knobs cooperated with inconsistent in-mid small lugs, you will be capable to master all challenges from sandy or tarmac tracks with its high grip and minimal rolling resistance.

29" 27.5" 26"



HORNET

H-5161/H-5161TR

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
	E112054	29×2.20	54-622	TLR/ SPS	Silica Control	120	Black	Foldable	770
	E112022	29×2.20	54-622	TLR/ SPS	Silica Control	60	Black	Foldable	/
	E112038	29×2.20	54-622	TLR/ SPS	2C-MTB	60	Black	Foldable	865
	E112063	29×2.20	54-622	TLR/ SPS	2C-MTB	60	Tanwall	Foldable	/
	E113048	27.5×2.20	54-584	TLR/ SPS	Silica Control	120	Black	Foldable	705
	E113047	27.5×2.20	54-584	TLR/ SPS	2C-MTB	60	Black	Foldable	805
	W113050	27.5×2.20	54-584	Shark Skin	2C-MTB	60	Black	Foldable	660
	W113046	27.5×2.20	54-584	/	Single	30	Black	Wire	765
	W108152	26×2.25	54-559	Shark Skin	2C-MTB	60	Black	Foldable	600
	W108148	26×2.25	54-559	/	Single	30	Black	Wire	675

FAST LANE

- Even aggressive profile than Victory II!
- Central knobs are connected together to lower the rolling resistance and keep stable traction.
- High tread and shoulder knobs can grab the trail firmly, providing ideal cornering and preventing side slipping on loose surface.

29" 27.5" 26"



FAST LANE H-5197/H-5197TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E112057	29×2.25	54-622	TLR/ SPS	2C-MTB	60	Black	Foldable	900
W112091	29×2.25	54-622	/	Single	30	Black	Wire	930
E113039	27.5×2.10	52-584	TLR/ SPS	2C-MTB	60	Black	Foldable	845
E108038	26×2.10	54-559	TLR/ SPS	2C-MTB	60	Black	Foldable	810

COUGAR

- Center ramped knobs for low rolling resistance Uniformed design provide fast accelerating Siping knobs boost traction in all conditions
- Tight small knobs on shoulder offering stability on cornering

29" 26"



COUGAR H-5134/H-5134TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E112056	29×2.35	60-622	TLR/ SPS	Silica Control	120	Black	Foldable	875
W112086	29×2.35	60-622	/	Single	30	Black	Wire	1,020
W112057	29×2.25	54-622	/	2C-MTB	60	Black	Wire	780
W112060	29×2.25	54-622	Shark Skin	2C-MTB	60	Black	Foldable	765
W112056	29×2.25	54-622	/	Single	30	Black	Wire	895
W108143	26×2.25	54-559	Shark Skin	2C-MTB	60	Black	Foldable	610
W108140	26×2.25	54-559	/	Single	30	Black	Wire	690
W108085	26×2.10	52-559	Shark Skin	2C-MTB	60	Black	Foldable	595
W108081	26×2.10	52-559	/	Single	30	Black	Wire	640

RAMPAGE

29" 26"



RAMPAGE H-5162

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112035	29×2.25	54-622	Shark Skin	2C-MTB	60	Black	Foldable	780
	29×2.25	54-622	/	Single	30	Black	Wire	900
W112030	29×2.10	52-622	Shark Skin	2C-MTB	60	Black	Foldable	750
W112026	29×2.10	52-622	/	Single	30	Black	Wire	830
W108153	26×2.25	54-559	/	Single	30	Black	Wire	780
W108131	26×2.10	52-559	Shark Skin	2C-MTB	60	Black	Foldable	695





ENDURO



PERSUADER
WET
H-5240TR



PERSUADER
DRY
H-5241
TR



PERSUADER
SPEED
H-5242
TR



DOUBLE
HAMMER
H-5177
TR



ROCK
WOLF
H-5198
TR



GLADIATOR
H-5136

PERSUADER WET

29" 27.5"



PERSUADER WET

H-5240TR

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
	EB30103001F	29×2.6	66-622	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	1,180
	EB30103002F	29×2.6	66-622	TLR/ B To B	3C-AM	120	Black	Foldable	1,045
	EB30103003F	29×2.6	66-622	TLR/ B To B	3C-AM	60	Black	Foldable	1,160
	EB30103004F	29×2.6	66-622	TLR/ S+PS	3C-AM	60	Black	Foldable	1,160
	EB30101001F	29×2.4	61-622	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	/
	EB30101004F	29×2.4	61-622	TLR/ B To B	3C-AM	120	Black	Foldable	/
	EB30101002F	29×2.4	61-622	TLR/ B To B	3C-AM	60	Black	Foldable	/
	EB30101003F	29×2.4	61-622	TLR/ S+PS	3C-AM	60	Black	Foldable	/
NEW	EB30104001F	27.5×2.6	66-584	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	
NEW	EB30104002F	27.5×2.6	66-584	TLR/ B To B	3C-AM	60	Black	Foldable	
	EB30102001F	27.5×2.4	61-584	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	/
	EB30102004F	27.5×2.4	61-584	TLR/ B To B	3C-AM	120	Black	Foldable	/
	EB30102002F	27.5×2.4	61-584	TLR/ B To B	3C-AM	60	Black	Foldable	/
	EB30102003F	27.5×2.4	61-584	TLR/ S+PS	3C-AM	60	Black	Foldable	/
	EB30102002W	27.5×2.4	61-584	Dual Defense	2C-MTB	30	Black	Wire	1,354

PERSUADER DRY

29" 27.5"



PERSUADER DRY H-5241TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
EB30203001F	29×2.6	66-622	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	1,130
EB30203002F	29×2.6	66-622	TLR/ B To B	3C-AM	120	Black	Foldable	995
EB30203003F	29×2.6	66-622	TLR/ B To B	3C-AM	60	Black	Foldable	1,110
EB30203004F	29×2.6	66-622	TLR/ S+PS	3C-AM	60	Black	Foldable	1,110
EB30201001F	29×2.4	61-622	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	/
EB30201004F	29×2.4	61-622	TLR/ B To B	3C-AM	120	Black	Foldable	/
EB30201002F	29×2.4	61-622	TLR/ B To B	3C-AM	60	Black	Foldable	/
EB30201003F	29×2.4	61-622	TLR/ S+PS	3C-AM	60	Black	Foldable	/
NEW EB30204001F	27.5×2.6	66-584	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	/
NEW EB30204002F	27.5×2.6	66-584	TLR/ B To B	3C-AM	60	Black	Foldable	/
EB30202001F	27.5×2.4	61-584	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	/
EB30202006F	27.5×2.4	61-584	TLR/ B To B	3C-AM	120	Black	Foldable	920
EB30202002F	27.5×2.4	61-584	TLR/ B To B	3C-AM	60	Black	Foldable	/
EB30202003F	27.5×2.4	61-584	TLR/ S+PS	3C-AM	60	Black	Foldable	/
EB30202002W	27.5×2.4	61-584	Dual Defense	2C-MTB	30	Black	Wire	1,309

PERSUADER SPEED

29" 27.5"



PERSUADER SPEED H-5242TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
EB30303001F	29×2.6	66-622	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	960
EB30303002F	29×2.6	66-622	TLR/ B To B	3C-AM	120	Black	Foldable	825
EB30303003F	29×2.6	66-622	TLR/ B To B	3C-AM	60	Black	Foldable	940
EB30303004F	29×2.6	66-622	TLR/ S+PS	3C-AM	60	Black	Foldable	940
EB30301001F	29×2.4	61-622	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	/
EB30301004F	29×2.4	61-622	TLR/ B To B	3C-AM	120	Black	Foldable	/
EB30301002F	29×2.4	61-622	TLR/ B To B	3C-AM	60	Black	Foldable	/
EB30301003F	29×2.4	61-622	TLR/ S+PS	3C-AM	60	Black	Foldable	/
NEW EB30304001F	27.5×2.6	66-584	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	/
NEW EB30304002F	27.5×2.6	66-584	TLR/ B To B	3C-AM	60	Black	Foldable	/
EB30302001F	27.5×2.4	61-584	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	/
EB30302004F	27.5×2.4	61-584	TLR/ B To B	3C-AM	120	Black	Foldable	/
EB30302002F	27.5×2.4	61-584	TLR/ B To B	3C-AM	60	Black	Foldable	/
EB30302003F	27.5×2.4	61-584	TLR/ S+PS	3C-AM	60	Black	Foldable	/
EB30302002W	27.5×2.4	61-584	Dual Defense	2C-MTB	30	Black	Wire	1,309



DOUBLE HAMMER

- Large tapered bidirectional blocks in the middle provide superb supports when facing fierce impact of uphill and downhill, you can hold any bad road condition with it
- Directional shoulder blocks ensure good drainage performance. Shallow Sipes increase grip on wet land and riding comfort

29" 27.5" 26"



DOUBLE HAMMER H-5177/H-5177TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112081	29×2.25	54-622	TLR/ SPS	2C-MTB	60	Black	Foldable	905
W112080	29×2.25	54-622	Shark Skin	2C-MTB	60	Black	Foldable	760
W112078	29×2.25	54-622	/	Single	30	Black	Wire	845
E113019	27.5×2.25	54-584	TLR/ B To B	3C-AM	60	Black	Foldable	750
W113040	27.5×2.25	54-584	Shark Skin	2C-MTB	60	Black	Foldable	605
E113040	27.5×2.25	54-584	TLR/ SPS	2C-MTB	60	Black	Foldable	670
W113036	27.5×2.25	54-584	/	Single	30	Black	Wire	690
E108016	26×2.25	54-559	TLR/ B To B	3C-AM	60	Black	Foldable	710
W108212	26×2.25	54-559	Shark Skin	2C-MTB	60	Black	Foldable	575
E108039	26×2.25	54-559	TLR/ SPS	2C-MTB	60	Black	Foldable	640
W108208	26×2.25	54-559	/	Single	30	Black	Wire	665



ROCK WOLF

- Large and far between knobs design gives the Rock Wolf mud-clearing ability.
- The regularly ramped square blocks for low rolling resistance, works together with the grippy shoulder makes the square profile and ideal weapon for trail and free ride use.

29" 27.5" 26"



ROCK WOLF

H-5198/H-5198TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E112052	29×2.35	58-622	TLR/ SPS	2C-MTB	120	Black	Foldable	855
E112029	29×2.35	58-622	TLR/ S+PS	3C-AM	60	Black	Foldable	885
E112036	29×2.35	58-622	TLR/ SPS	2C-MTB	60	Black	Foldable	850
W112077	29×2.35	58-622	S+PS	2C-MTB	60	Black	Wire	910
W113127	27.5×2.80	70-584	TLR/ S+PS	3C-AM	120	Black	Foldable	975
W113130	27.5×2.80	70-584	TLR/ B To B	3C-AM	60	Black	Foldable	1,050
W113126	27.5×2.60	66-584	TLR/ S+PS	3C-AM	120	Black	Foldable	950
W113129	27.5×2.60	66-584	TLR/ B To B	3C-AM	60	Black	Foldable	1,030
E113044	27.5×2.35	60-584	TLR/ SPS	2C-MTB	120	Black	Foldable	835
E113009	27.5×2.35	60-584	TLR/ S+PS	3C-AM	60	Black	Foldable	870
E113041	27.5×2.35	60-584	TLR/ SPS	2C-MTB	60	Black	Foldable	815
W113132	27.5×2.35	60-584	S+PS	2C-MTB	60	Black	Wire	940
E108033	26×2.35	58-559	TLR/ S+PS	3C-AM	60	Black	Foldable	775
W108279	26×2.35	58-559	S+PS	2C-MTB	60	Black	Wire	840
E108040	26×2.35	58-559	TLR/ SPS	2C-MTB	60	Black	Foldable	735

GLADIATOR

- Downhill version of the Gladiator, with higher knobs and more square profile.
- Sipes are made on central and shoulder knobs, providing much more grip performance.
- Works perfectly with our 3C-DH compound.
- Excellence choice for aggressive riding style and rough terrain.

29" 27.5" 26"



GLADIATOR

H-5136

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112052	29×2.35	60-622	/	2C-MTB	60	Black	Wire	905
W112055	29×2.35	60-622	Shark Skin	2C-MTB	60	Black	Foldable	885
W112051	29×2.35	60-622	/	Single	30	Black	Wire	985
	29×2.35	60-622	/	Single	30	Tanwall	Wire	990
W112059	29×2.25	54-622	/	2C-MTB	60	Black	Wire	815
W112050	29×2.25	54-622	Shark Skin	2C-MTB	60	Black	Foldable	800
W112046	29×2.25	54-622	/	Single	30	Black	Wire	895
W113017	27.5×2.10	52-584	/	2C-MTB	60	Black	Wire	710
W113015	27.5×2.10	52-584	Shark Skin	2C-MTB	60	Black	Foldable	700
W113011	27.5×2.10	52-584	/	Single	30	Black	Wire	780
	27.5×2.35	60-584	/	Single	30	Black	Wire	
W108245	26×2.40	60-559	/	Single	30	Black	Wire	945
	26×2.35	58-559	/	Single	30	Black	Wire	
E108018	26×2.35	58-559	B to B Pro	3C-AM	60	Black	Foldable	1,000
W108190	26×2.25	54-559	/	2C-MTB	60	Black	Wire	785
W108147	26×2.25	54-559	Shark Skin	2C-MTB	60	Black	Foldable	775
W108144	26×2.25	54-559	/	Single	30	Black	Wire	815
W108121	26×2.10	52-559	/	Single	30	Black	Wire	680



DOWN HILL



MUD SHREDDER DH H-5203DH



GLADIATOR DH H-5136DH

MUD SHREDDER

■ Right as its name shows, it's a mud shredder machine. Perfect tire for the muddiest terrain.
■ Benefit from its high and open knobs, Mud Shredder is able to plug into the dirt and gives you full confidence with control.

27.5" 26"



MUD SHREDDER H-5203DH

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E113006	27.5×2.35	60-584	Dual Defense/ Pro Bead	DH-Slug	60	Black	Wire	1,355
E113042	27.5×2.35	60-584	Dual Defense	2C-MTB	60	Black	Wire	1,295
E108006	26×2.35	60-559	Dual Defense/ Pro Bead	DH-Slug	60	Black	Wire	1,305
E108042	26×2.35	60-559	Dual Defense	2C-MTB	60	Black	Wire	1,205

GLADIATOR DH

■ Downhill version of the Gladiator, with higher knobs and more square profile.
■ Sipes are made on central and shoulder knobs, providing much more grip performance.
■ Works perfectly with our 3C-DH compound.
■ Excellence choice for aggressive riding style and rough terrain.

27.5" 26"



GLADIATOR DH H-5136DH

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E113035	27.5×2.35	60-584	TLR/ Dual Defense/ Pro Bead	DH-Slug	60	Black	Foldable	1,375
E113005	27.5×2.35	60-584	Dual Defense/ Pro Bead	3C-DH	60	Black	Wire	1,355
W113117	27.5×2.35	60-584	Dual Defense	2C-MTB	60	Black	Wire	1,295
E108035	26×2.35	60-559	TLR/ Dual Defense/ Pro Bead	DH-Slug	60	Black	Foldable	1,280



Freewheeler Racing / Grand Rapids, USA

PLUS



ROCK
WOLF
H-5198TR

SAND
STORM
H-5193

GRAND
CANYON
H-5161

BIG
DADDY
H-5176

SPARROW
H-5183

ROCK WOLF

- Large and far between knobs design gives the Rock Wolf mud-clearing ability.
- The regularly ramped square blocks for low rolling resistance, works together with the grippy shoulder makes the square profile and ideal weapon for trail and free ride use.

27.5"

ROCK WOLF

H-5198TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W113128	27.5×3.0	72-584	TLR/ S+PS	3C-AM	120	Black	Foldable	1,055
W113131	27.5×3.0	72-584	B to B	3C-AM	60	Black	Foldable	1,120



BIG DADDY

- Aggressive pattern design combines bionics with cartoon, equipped with super wide carcass, unprecedented overbearing character
- Star pattern in the middle and large inclined angle provides superb supporting force and smooth direction
- 45° arranged star pattern on the shoulder effectively avoid horizontal slip trend, make cornering more stable
- Horizontal blocks ensure an excellent braking force, avoiding slip in sand, grass or snow

29" 27.5"

BIG DADDY

H-5176

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112062	29×3.0	76-622	/	2C-MTB	60	Black	Wire	885
W112071	29×3.0	76-622	/	Single	30	Black	Wire	985
W113091	27.5×3.0	74-584	/	2C-MTB	60	Black	Wire	825
W113092	27.5×3.0	74-584	/	Single	30	Black	Wire	925
W113107	27.5×2.80	71-584	/	2C-MTB	60	Black	Wire	845
W113106	27.5×2.80	71-584	/	Single	30	Black	Wire	930



SAND STORM

- Wide tread design, brings a wide tire visual impact;
- Symmetrical arrangement of argyle block , riding superior stability, smooth drainage;
- The blocks on the shoulder for the cornering and grip assurance

26" 24"



SAND STORM H-5193

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W108264	26×3.0	76-559	/	Single	30	Black	Wire	1,090
W108266	26×2.50	60-559	/	Single	30	Black	Wire	935
W107005	24×2.50	60-507	/	Single	30	Black	Wire	845

GRAND CANYON

- Only high speed rolling & stable cornering can be the king of Cyclocross race! Benefited from its reinforced directional center knobs cooperated with inconsistent in-mid small lugs, you will be capable to master all challenges from sandy or tarmac tracks with its high grip and minimal rolling resistance.

27.5"



GRAND CANYON H-5161

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W113098	27.5×2.8	71-584	/	2C-MTB	60	Black	Wire	750
W113100	27.5×2.8	71-584	/	2C-MTB	60	Black	Foldable	700
W113097	27.5×2.8	71-584	/	Single	30	Black	Wire	915

SPARROW

- Central square knobs provide continuous ride experience and low rolling resistance.
- The V-shape spread knobs help get more grip.

29" 27.5" 26" 24" 22" 20" 16"



SPARROW H-5183

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
W113135	29×2.60	66-622	/	Single	30	Black	Wire	995	
	27.5×2.60	66-584	/	Single	30	Black	Wire	865	
	26×3.0	76-559	/	Single	30	Black	Wire	1,030	
	26×3.0	76-559	Hippo Skin Pro	Single	30	Black	Wire		
	26×2.40	60-559	/	Single	30	Black	Wire		
	24×3.0	76-507	/	Single	30	Black	Wire	870	
	24×3.0	76-507	/	2C-MTB	60	Black	Wire	790	
	24×2.60	66-507	Hippo Skin	Single	30	Black/ Reflex	Wire		
	24×2.60	66-507	/	Single	30	Black	Wire	785	
	24×2.60	66-507	/	Single	30	Tanwall	Wire	795	
	24×2.40	60-507	/	Single	30	Black	Wire		
	20×3.0	76-406	/	Single	30	Black	Wire	705	
	20×3.0	76-406	/	Single	30	Tanwall	Wire		
	20×3.0	76-406	Hippo Skin Pro	Single	30	Black	Wire	860	
	20×3.0	76-406	Hippo Skin/DT-Defense/Gumwall	E-moto	/	Black	Wire		E-bike 50
	20×2.60	66-406	/	Single	30	Black	Wire	645	
	20×2.60	66-406	/	Single	30	Tanwall	Wire	655	
	20×2.40	60-406	/	Single	30	Black	Wire		
	16×3.0	76-305	Hippo Skin Pro	Single	30	Black	Wire		
	16×3.0	76-305	/	Single	30	Black	Wire	535	



Sherly Wang, China

FAT



SAND
STORM
H-5193

GRAND
CANYON
H-5161

SNOW
STORM
H-5202

BIG
DADDY
H-5176
TR

SAND STORM

- Wide tread design, brings a wide tire visual impact;
- Symmetrical arrangement of argyle block , riding superior stability, smooth drainage;
- The blocks on the shoulder for the cornering and grip assurance

26" 20"

SAND STORM

H-5193

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W105007	26×4.0	100-559	/	2C-MTB	120	Black	Foldable	1,110
W108227	26×4.0	100-559	/	2C-MTB	60	Black	Wire	1,350
W105008	26×4.0	100-559	/	Single	30	Black	Wire	1,710
	20×4.0	100-406	Hippo Skin Pro	Single	30	Black	Wire	
W105006	20×4.0	100-406	/	Single	30	Black	Wire	1,250



GRAND CANYON

- Only high speed rolling & stable cornering can be the king of Cyclocross race! Benefited from its reinforced directional center knobs cooperated with inconsistent in-mid small lugs, you will be capable to master all challenges from sandy or tarmac tracks with its high grip and minimal rolling resistance.

26"

GRAND CANYON

H-5161

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W108209	26×4.0	100-559	/	2C-MTB	120	Black	Foldable	1,410
W108204	26×4.0	100-559	/	2C-MTB	60	Black	Wire	1,670
W108201	26×4.0	100-559	/	Single	30	Black	Wire	1,810



SNOW STORM

- Three rows of longitudinal pattern block in tread, direction V design of large dip Angle. Not only can increase the strength of the decorative pattern block, and at the same time easy to cut into the snow and so on soft terrain, and significantly reducing the rolling resistance of riding.
- The triangle arrangement nail, provides tires with strong stability and traction. fast cornering the snow, make you confident.
- 152 spikes.

26"



SNOW STORM

H-5202

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
FAT/SPIKE144	W108243	26×4.9	120-559	Shark Skin/ Spikes	2C-MTB	120	Black	Foldable	1,460
	W108240	26×4.9	120-559	/	2C-MTB	60	Black	Wire	1,700
FAT/SPIKE144	W108241	26×4.9	120-559	Shark Skin/ Spikes	2C-MTB	60	Black	Wire	1,780
	W108239	26×4.9	120-559	/	Single	30	Black	Wire	1,895
FAT/SPIKE152	W108234	26×4.0	100-559	Shark Skin/ Spikes	2C-MTB	120	Black	Foldable	1,260
	W108231	26×4.0	100-559	/	2C-MTB	60	Black	Wire	1,360
FAT/SPIKE152	W108232	26×4.0	100-559	Shark Skin/ Spikes	2C-MTB	60	Black	Wire	1,495
	W108230	26×4.0	100-559	/	Single	30	Black	Wire	1,655

BIG DADDY

- Aggressive pattern design combines bionics with cartoon, equipped with super wide carcass, unprecedented overbearing character
- Star pattern in the middle and large inclined angle provides superb supporting force and smooth direction
- 45° arranged star pattern on the shoulder effectively avoid horizontal slip trend, make cornering more stable
- Horizontal blocks ensure an excellent braking force, avoiding slip in sand, grass or snow

26" 24" 20" 16"



BIG DADDY

H-5176/H-5176TR

	Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-bike 50
	W108207	26×4.9	120-559	/	2C-MTB	120	Black	Foldable	1,275	
	W108218	26×4.9	120-559	TLR	2C-MTB	120	Black	Foldable	1,305	
	W108203	26×4.9	120-559	/	2C-MTB	60	Black	Wire	1,510	
	W108206	26×4.0	100-559	/	2C-MTB	120	Black	Foldable	1,150	
	W108200	26×4.0	100-559	/	2C-MTB	60	Black	Wire	1,390	
		26×4.0	100-559	Hippo Skin Pro	Single	30	Black/ Reflex	Wire		
	W108199	26×4.0	100-559	/	Single	30	Black	Wire	1,540	
	W107018	24×4.0	100-507	/	Single	30	Black	Wire	1,400	
		20×4.0	100-406	Hippo Skin/DT-Defense	E-moto	/	Black	Wire		E-bike 50
		20×4.0	100-406	Hippo Skin Pro	Single	30	Black/ Reflex	Wire		
		20×4.0	100-406	/	Single	30	Tanwall/ Reflex	Wire		
	W105001	20×4.0	100-406	/	Single	30	Black	Wire	1,120	
	W303009	16×4.0	100-305	/	Single	30	Black	Wire	890	





FLYING DIAMOND

- Dense arranged knobs in the center part help improve riding experience;
- The square groove on each knob offer grip as well as low rolling resistance on pavement and off road surface;
- High side knobs on tire shoulder provide grip while cornering;
- Stream line style space between knobs help evacuation in rain condition.

700C 29" 27.5" 26" 24"



FLYING DIAMOND

H-5224

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211152	700×45C	47-622	/	Single	30	Black	Wire	660
W211150	700×40C	42-622	Shark Skin	Single	60	Black	Foldable	490
W211149	700×40C	42-622	/	Single	30	Black	Wire	570
W211147	700×38C	40-622	Shark Skin	Single	60	Black	Foldable	490
W211146	700×38C	40-622	/	Single	30	Black	Wire	570
W211144	700×35C	37-622	Shark Skin	Single	60	Black	Foldable	425
W211143	700×35C	37-622	/	Single	30	Black	Wire	470
W212006	29×1.50	40-62	/	Single	30	Black	Wire	485
W213015	27.5×1.50	38-584	Shark Skin	Single	120	Black/ Reflex	Foldable	360
W213019	27.5×1.50	38-584	Shark Skin	Single	60	Black	Foldable	390
W213016	27.5×1.50	38-584	Shark Skin	Single	60	Black/ Reflex	Wire	455
W213017	27.5×1.50	38-584	/	Single	30	Black	Wire	455
	26×1.50	38-559	/	Single	30	Black	Wire	
	26×1.50	38-559	/	Single	30	Tanwall	Wire	
	24×1.50	38-507	/	Single	30	Black	Wire	
	24×1.50	38-507	/	Single	30	Tanwall	Wire	

TIGER SHARK

- Excellent tear and wear resistance which benefit from unique compound design and high density casing structure is the best guarantee of long span life and durability
- Perfect wet traction and grip while cornering is the most powerful evidence of well designed grooved slick (as TIGER SHARK) tread design and precise side outer edges
- Safety of rider can be ensured maximally result from Kevlar belt which is capable to provide fully puncture resistance protection
- Enjoy your speed leisure life by riding our TIGER SHARK

26"



TIGER SHARK

H-469

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W208024	26×1.90	44-559	Shark Skin	2C-MTB	60	Black	Wire	560
W305028	26×1.90	44-559	Rhino Skin	Single	60	Black	Wire	585
W208022	26×1.90	44-559	/	Single	30	Black	Wire	580
W305029	26×1.50	40-559	Rhino Skin	Single	60	Black	Wire	665
W208042	26×1.50	40-559	Shark Skin	2C-MTB	60	Black	Wire	515
W208083	26×1.50	40-559	Shark Skin	2C-MTB	60	Black/ Reflex	Wire	525
W208006	26×1.50	40-559	/	Single	30	Black	Wire	565
W308008	26×1.25	32-559	Shark Skin	2C-MTB	60	Black	Wire	400
W308001	26×1.25	32-559	/	Single	30	Black	Wire	420
W308003	26×1.15	28-559	/	Single	30	Black	Wire	355

CITY/URBAN



FLYING DIAMOND H-5224
TIGER SHARK H-469
SPRINT H-480
KESTREL H-481M H-481
MAKO SHARK H-5113
SPRINT SHARK H-5126
VIPER H-479
SWIFT H-460
NORDIC PLUS H-489

SPRINT

- The serrated side is the best choice for cornering stability and great wet traction.
- Low rolling resistance, more ride comforts as well as excellent drainage performance can be ensured by superb grooved slick design in the center

700C 28" 26"



SPRINT

H-480

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211132	700×45C	47-622	/	Single	30	Black	Wire	705
W211140	700×42C	44-622	/	Single	60	Black	Wire	625
W211137	700×42C	44-622	Rhino Skin	Single	60	Black/ Reflex	Wire	935
W211138	700×42C	44-622	/	Single	30	Black	Wire	700
W211023	700×38C	40-622	/	Single	60	Black	Wire	565
W211099	700×38C	40-622	Rhino Skin	Single	60	Black/ Reflex	Wire	820
W211091	700×38C	40-622	Rhino Skin	Single	60	Brown/ Reflex	Wire	800
W211021	700×38C	40-622	/	Single	30	Black	Wire	620
W211104	700×38C	40-622	Hippo Skin	Single	30	Black/ Reflex	Wire	700
W211108	700×35C	37-622	/	Single	60	Black/ Reflex	Wire	585
W211090	700×35C	37-622	Rhino Skin	Single	60	Brown/ Reflex	Wire	790
W211100	700×35C	37-622	Rhino Skin	Single	60	Black/ Reflex	Wire	790
W211106	700×35C	37-622	Hippo Skin	Single	30	Black/ Reflex	Wire	655
W211015	700×32C	32-622	/	Single	60	Black	Wire	450
W211103	700×32C	32-622	Rhino Skin	Single	60	Black/ Reflex	Wire	700
W211013	700×32C	32-622	/	Single	30	Black	Wire	505
W211105	700×32C	32-622	/	Single	30	Black/ Reflex	Wire	510
W210004	28×1 1/2	40-635	/	Single	30	Black	Wire	495
W210005	28×1 1/2	40-635	Rhino Skin	Single	30	Black/ Reflex	Wire	780
W208087	26×1.95	47-599	/	Single	30	Black/ Reflex	Wire	880
W208089	26×1.50	40-599	/	Single	30	Black/ Reflex	Wire	835



KESTREL

- Smooth tread center for low rolling resistance coordinated with variety size of grooves is good for wet traction also
- Lateral shoulder ramp knob provides effective reinforce traction on both wet and debris surface also excellent cornering stability

700C 650B
29" 27.5" 26"
24" 20"



KESTRELH-481/H-481M

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211162	700×45C	47-622	Rhino Skin/ Gumwall	Single	60	Black/ Reflex	Wire	1,150
W211164	700×45C	47-622	Rhino Skin/ Gumwall	Single	60	Black/ Brown Wall/ Reflex Wire	Wire	1,365
W211161	700×38C	40-622	Rhino Skin/ Gumwall	Single	60	Black/ Reflex	Wire	975
W211029	700×38C	40-622	/	Single	30	Black	Wire	620
W211166	700×38C	40-622	Hippo Skin	Single	30	Black/ Reflex	Wire	700
W211028	700×35C	37-622	Rhino Skin	Single	60	Black	Wire	780
W211160	700×35C	37-622	Rhino Skin/ Gumwall	Single	60	Black/ Reflex	Wire	/
W211026	700×35C	37-622	Hippo Skin	Single	30	Black	Wire	645
W211025	700×35C	37-622	/	Single	30	Black	Wire	575
W211060	700×32C	32-622	Rhino Skin	Single	60	Black	Wire	690
W211057	700×32C	32-622	/	Single	30	Black	Wire	505
W211058	700×32C	32-622	Hippo Skin	Single	30	Black	Wire	565
W211101	700×28C	28-622	Rhino Skin	Single	60	Black/ Reflex	Wire	565
W211061	700×28C	28-622	/	Single	30	Black	Wire	405
W213008	650×38B	40-584	Rhino Skin	Single	60	Black	Wire	705
W213005	650×38B	40-584	/	Single	30	Black	Wire	575
W214001	650×38B	40-584	Hippo Skin	Single	30	Black/ Reflex	Wire	650
W213004	650×35B	37-584	Rhino Skin	Single	60	Black	Wire	690
W213002	650×35B	37-584	Hippo Skin	Single	30	Black	Wire	615
W212007	29×2.0	50-622	/	Single	60	Black/ Reflex	Wire	705
W212011	29×2.0	50-622	Rhino Skin/ Gumwall	Single	60	Black/ Reflex	Wire	1,180
W212005	29×2.0	50-622	/	Single	30	Black	Wire	770
W212012	29×2.0	50-622	Hippo Skin	Single	30	Black/ Reflex	Wire	875
W213010	27.5×2.0	50-584	Rhino Skin	Single	60	Black/ Reflex	Wire	1,060
W213018	27.5×2.0	50-584	/	Single	30	Black	Wire	680
W208019	26×1.75	44-559	/	Single	60	Black	Wire	500
W208032	26×1.75	44-559	Rhino Skin	Single	60	Black/ Reflex	Wire	770
W208092	26×1.75	44-559	Hippo Skin	Single	30	Black/ Reflex	Wire	615
W208050	26×1.50	40-559	Rhino Skin	Single	60	Black	Wire	765
W208047	26×1.50	40-559	/	Single	30	Black	Wire	545
W208084	26×1.50	40-559	Hippo Skin	Single	30	Black/ Reflex	Wire	615
W307003	24×1.25	32-507	/	Single	30	Black	Wire	415
W305043	20×1 1/8	28-451	/	Single	30	Black	Wire	265

MAKO SHARK

- Unique crown radian design cooperated with enhanced tread base provides unsurpassed wear-resistance and puncture resistance performance
- Central directional and slick groove design ensure low rolling resistance which is helpful to provide you with more speed and relaxing ride
- Excellent cornering traction and precise response can be ensured by enlarged shoulder blocks

700C 28" 26"



MAKO SHARKH-5113

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211043	700×40C	42-622	/	Single	60	Black	Wire	555
W211167	700×40C	42-622	Rhino Skin	Single	60	Black/ Reflex	Wire	790
W211042	700×40C	42-622	Hippo Skin	Single	30	Black	Wire	685
W211158	700×38C	40-622	Rhino Skin	Single	60	Black	Foldable	875
W211040	700×38C	40-622	Rhino Skin	Single	60	Black	Wire	835
W211037	700×38C	40-622	/	Single	30	Black	Wire	620
W211190	700×35C	35-622	Rhino Skin	Single	60	Black/ Reflex	Wire	/
W211157	700×35C	35-622	Rhino Skin	Single	60	Black	Foldable	845
W211033	700×35C	35-622	/	Single	30	Black	Wire	585
W211034	700×35C	35-622	Hippo Skin	Single	30	Black	Wire	665
W211156	700×32C	32-622	Rhino Skin	Single	60	Black	Foldable	785
W211073	700×32C	32-622	/	Single	30	Black	Wire	490
W211067	28×1.75	47-622	/	Single	60	Black	Wire	555
W211068	28×1.75	47-622	Rhino Skin	Single	60	Black	Wire	800
W211065	28×1.75	47-622	/	Single	30	Black	Wire	610
W208034	26×2.35	60-559	/	Single	30	Black	Wire	735
W208003	26×1.90	44-559	Shark Skin	Single	60	Black	Wire	690
W208054	26×1.90	44-559	Rhino Skin	Single	60	Black	Wire	1,015
W208091	26×1.90	44-559	Rhino Skin	Single	60	Black/ Reflex	Wire	835
W208030	26×1.90	44-559	/	Single	30	Black	Wire	720
W208053	26×1.90	44-559	Hippo Skin	Single	30	Black	Wire	775
W208021	26×1.90	44-559	Hippo Skin	Single	30	Black/ Reflex	Wire	785
W208085	26×1.75	44-559	Rhino Skin	Single	60	Black/ Reflex	Wire	795
W208058	26×1.75	44-559	Hippo Skin	Single	30	Black	Wire	/
W208016	26×1.75	44-559	/	Single	30	Black/ Reflex	Wire	640
W208010	26×1.75	44-559	/	Single	30	Black	Wire	630



SPRINT SHARK

- Contiguous center knobs make this tire ideal for breezily riding due to the effectively minimizing of rolling resistance
- Shallow groove base is capable to prevent the knobs from immature cracking
- Multivariate side knobs offer excellent grip and perfect drainage

700C 26"

SPRINT SHARK

H-5126

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211080	700×40C	42-622	Rhino Skin	Single	60	Black/ Reflex	Wire	900
W211054	700×40C	42-622	Hippo Skin	Single	30	Black	Wire	680
W211052	700×38C	40-622	Rhino Skin	Single	60	Black	Wire	755
W211049	700×38C	40-622	/	Single	30	Black	Wire	605
W211048	700×35C	37-622	Rhino Skin	Single	60	Black	Wire	710
W211142	700×35C	37-622	Rhino Skin	Single	60	Black/ Reflex	Wire	710
W211046	700×35C	37-622	Hippo Skin	Single	30	Black	Wire	590
W208004	26×1.50	40-559	/	Single	30	Black	Wire	535
W208061	26×1.50	40-559	Hippo Skin	Single	30	Black	Wire	600
W208082	26×1.50	40-559	Hippo Skin	Single	30	Black/ Reflex	Wire	610

VIPER

H-479

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211173	700×28C	28-622	Dino Skin	Silica-Training	60	Tanwall	Foldable	495
W211172	700×25C	25-622	Dino Skin	Silica-Training	60	Tanwall	Foldable	465
W212004	29×1.75	44-622	Rhino Skin	Single	60	Black/ Reflex	Wire	825
W212002	29×1.50	40-622	Shark Skin+	Single	60	Black	Foldable	460
W212003	29×1.50	40-622	Rhino Skin	Single	60	Black/ Reflex	Wire	740
W212001	29×1.50	40-622	/	Single	30	Black	Wire	525
W213014	27.5×1.75	44-584	Rhino Skin	Single	60	Black/ Reflex	Wire	675
W213012	27.5×1.50	40-584	Shark Skin+	Single	60	Black	Foldable	430
W213013	27.5×1.50	40-584	Rhino Skin	Single	60	Black/ Reflex	Wire	635
W213011	27.5×1.50	40-584	/	Single	30	Black	Wire	490



VIPER

- A treadless slick city/urban tire from our road model Viper.
- Besides its fast rolling character, a Shark Skin+ protection is added to assure your riding safety.

700C 29" 27.5"



SWIFT

- The unique "arge petal" pattern design can not only achieve better visual effects but also increase the riding comfort with enlarged contract surface
- "Lateral" wider rib pattern design on the shoulder can improve the handling while turning
- The better sidewall appearance with small rib pattern
- Streamline pattern groove design can achieve better water traction

700C 26" 24"

SWIFT

H-460

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211087	700×45C	47-622	Rhino Skin	Single	60	Black/ Reflex	Wire	935
W211069	700×45C	47-622	/	Single	30	Black	Wire	730
W211012	700×40C	42-622	Rhino Skin	Single	60	Black	Wire	780
W211010	700×40C	42-622	Hippo Skin	Single	30	Black	Wire	640
W211008	700×38C	40-622	Rhino Skin	Single	60	Black	Wire	775
W211005	700×38C	40-622	/	Single	30	Black	Wire	565
W211004	700×35C	37-622	Rhino Skin	Single	60	Black	Wire	685
W211002	700×35C	37-622	Hippo Skin	Single	30	Black	Wire	545
W211001	700×35C	37-622	/	Single	30	Black	Wire	490
W208086	26×1.95	47-559	Hippo Skin	Single	30	Black/ Reflex	Wire	730
W211079	26×1.75	44-559	Rhino Skin	Single	60	Black/ Reflex	Wire	760
W211077	26×1.75	44-559	Hippo Skin	Single	30	Black	Wire	645
W211089	26×1 3/8	37-590	Rhino Skin	Single	60	Black/ Reflex	Wire	645
W211081	26×1 3/8	37-590	/	Single	30	Black	Wire	570
W207001	24×1.75	47-507	Rhino Skin	Single	60	Black/ Reflex	Wire	590
W211175	24×1 3/8	37-540	Hippo Skin	Single	30	Grey	Wire	630
W211131	24×1.95	50-507	Hippo Skin	Single	30	Black/ Reflex	Wire	655

NORDIC PLUS

H-489

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211191	700×38C	40-622	Rhino Skin/ Gumwall	Single	60	Black/ Reflex	Wire	/
W211183	700×35C	37-622	Rhino Skin/ Gumwall	Single	60	Black/ Reflex	Wire	/
W211182	700×32C	32-622	Rhino Skin/ Gumwall	Single	60	Black/ Reflex	Wire	/
W211181	700×28C	28-622	Rhino Skin/ Gumwall	Single	60	Black/ Reflex	Wire	/



BMX



SPEED DEVIL

- Continous rib in the center offers clear riding direction;
- Central rib and knobs impact contact area with track and improve grip.

20"

SPEED DEVIL H-5218

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W405010	20×1.85	46-406	/	Single	120	Black	Foldable	275
W405009	20×1.85	46-406	/	Single	60	Black	Foldable	380
W405008	20×1.85	46-406	/	Single	60	Black	Wire	415



SPEED DEVIL

- Central big arrow shape knobs offers stable traction and low rolling resistance;
- Tiny knobs covering rest of the tire tread offers perfect grip on hard pack, wood and cement track;
- Speed Devil is all about speed!

20"

SPEED DEVIL H-5212

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W405013	20×1.60	41-406	/	Single	120	Black	Foldable	235
W405012	20×1.60	41-406	/	Single	60	Black	Foldable	265
W405011	20×1.60	41-406	/	Single	60	Black	Wire	300



SPEED ROLLER

- Even distributed square knob design will not only provide excellent traction and enough grips for a vast number of terrains and road conditions, but also more ride comfort
- Large block style side knobs and diamond-knurled sidewall surface will improve the cornering traction effectively
- High strength casing structure will protect the tire from being penetrated and shocked effectively

20"

SPEED ROLLER H-5130

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W405002	20×2.0	50-406	/	Single	60	Black	Foldable	465
W405001	20×2.0	50-406	/	Single	60	Black	Wire	560
W405006	20×2.0	50-406	/	Single	30	Black	Wire	625
W405003	20×1.50	40-406	/	Single	60	Black	Wire	405
W405004	20×1 3/8	37-451	/	Single	60	Black	Wire	395
W405005	20×1 1/8	28-451	/	Single	60	Black	Wire	355





SPIKES



CORTINA
H-467



ZERMATT
H-5111

CORTINA

- Hexagons pattern design and parabola juncture between blocks strengthen the rigidity of casing, and prevent knobs from cracking and improved durability effectively
- Wide opened center and side knobs provide excellent mud and snow clearance
- The diamond pattern design in the center cooperated with unique skid-proof compound system is capable to enlarge contract area between tire surface and floppy snow with providing optimal friction
- Carbide nails are inlayed inside of the tread blocks which will ensure excellent handling, grip and traction while driving on icy roads and ramps

700C

CORTINA

H-467

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W511002	700×38C	40-622	Rhino Skin	Single	60	Black	Wire	970



ZERMATT

- Carbide nails are inlayed on the tread which provide good handling while driving on icy roads and ramps
- The “diamond” pattern design in the center cooperated with unique skid-proof compound system enlarge contact area between tire and floppy snow to provide more friction
- “Hexagons” pattern design and “Parabola” juncture between blocks strengthen the rigidity of casing, prevent pattern from cracking and improve the durability
- Curved crown, streamline tread design and slanting shoulder provide superior steering and excellent mud clearance

26"

ZERMATT

H-5111

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W508002	26×1.95	47-559	Shark Skin	Single	60	Black	Wire	685



ARAMID TIRE



WIRE BEAD TIRES TAG

■ Customer oriented designed tag for display use and better understanding of different functions.



STANDARD TUBE

- Optimal air retention performance, anti-freezing, heat-resisting
- All butyl rubber made, excellent tensile elongation performance

0.90MM THICKNESS

- 0.90mm in thickness
- Lightweight and durable racing tubes



Part No.	Size	ETRTO	Valve
Y011601	12 1/2×1.75/2 1/4	50/54-203	A/V 33mm
Y011501	12 1/2×2 1/4	50/54-203	A/V 33mm
Y011529	12 1/2×2 1/4	50/54-203	A/V 42°
Y011522	12 1/2×2 1/4	50/54-203	C3E-25A
Y011531	12 1/2×2 1/4	50/54-203	C3E-25A
Y011506	12 1/2×2 1/4	50/54-203	F/V 33mm
Y011508	12 1/2×2 1/4	50/54-203	F/V 48mm
Y011523	12 1/2×2 1/4	50/54-203	I/V
Y011519	12 1/2×2 1/4	50/54-203	TRI-PD(G) 26.5mm
Y011502	12 1/2×2 1/4	50/54-203	A/V 40mm
Y011503	12 1/2×2 1/4	50/54-203	A/V 48mm
Y011516	12 1/2×2 1/4	50/54-203	D/V EP2 26.5mm
Y011517	12 1/2×2 1/4	50/54-203	D/V EP2 35mm
Y011518	12 1/2×2 1/4	50/54-203	D/V EP2 40mm
Y011701	12 1/2×2 1/4/2.40	57/62-203	A/V 33mm
Y011729	12 1/2×2 1/4/2.40	57/62-203	A/V 42°
Y011735	12 1/2×2 1/4/2.40	57/62-203	A/V 90°
Y011718	12 1/2×2 1/4/2.40	57/62-203	D/V EP2 40mm
Y011722	12 1/2×2 1/4/2.40	57/62-203	C3E-28A
Y011731	12 1/2×2 1/4/2.40	57/62-203	C3E-25A
Y023423	14×1 3/8×1 5/8	32/37-288/298	I/V
Y020101	14×1.50/1.75	40/47-254	A/V 33mm
Y020103	14×1.50/1.75	40/47-254	A/V 48mm
Y020118	14×1.50/1.75	40/47-254	D/V EP2 40mm
Y020106	14×1.50/1.75	40/47-254	F/V 33mm
Y020108	14×1.50/1.75	40/47-254	F/V 48mm
Y020124	14×1.50/1.75	40/47-254	I/V
Y020129	14×1.50/1.75	40/47-254	A/V 42°
Y020201	14×1.95/2.125	50/54-254	A/V 33mm
Y020202	14×1.95/2.125	50/54-254	A/V 40mm
Y030101	16×1.50/1.75	40/47-305	A/V 33mm
Y030103	16×1.50/1.75	40/47-305	A/V 48mm
Y030116	16×1.50/1.75	40/47-305	D/V EP2 26.5mm
Y030118	16×1.50/1.75	40/47-305	D/V EP2 40mm
Y030119	16×1.50/1.75	40/47-305	D/V PD(G) 26.5mm
Y030106	16×1.50/1.75	40/47-305	F/V 33mm
Y030102	16×1.50/1.75	40/47-305	A/V 40mm
Y030117	16×1.50/1.75	40/47-305	D/V EP2 35mm
Y030123	16×1.50/1.75	40/47-305	I/V
Y030201	16×1.95/2.125	50/54-305	A/V 33mm
Y030203	16×1.95/2.125	50/54-305	A/V 48mm
Y030216	16×1.95/2.125	50/54-305	D/V EP2 26.5mm
Y030231	16×1.95/2.125	50/54-305	C3E-25A
Y030206	16×1.95/2.125	50/54-305	F/V 33mm
Y030223	16×1.95/2.125	50/54-305	I/V
Y030202	16×1.95/2.125	50/54-305	A/V 40mm
Y030218	16×1.95/2.125	50/54-305	D/V EP2 40mm
Y030622	16×2.125	54-305	C3E-25A
Y030701	16×2.30/2.40/2.50	57/62-305	A/V 33mm
Y030703	16×2.30/2.40/2.50	57/62-305	A/V 48mm
Y030803	16×3.0	76-305	A/V 48mm
Y032801	16×4.0/4.90	100/120-305	A/V 33mm

Part No.	Size	ETRTO	Valve
Y040101	18×1.50/1.75	40/47-355	A/V 33mm
Y040103	18×1.50/1.75	40/47-355	A/V 48mm
Y040116	18×1.50/1.75	40/47-355	D/V EP2 26.5mm
Y040118	18×1.50/1.75	40/47-355	D/V EP2 40mm
Y040123	18×1.50/1.75	40/47-355	I/V
Y040201	18×1.95/2.125	50/54-355	A/V 33mm
Y040222	18×1.95/2.125	50/54-355	C3E-25A
Y040203	18×1.95/2.125	50/54-355	A/V 48mm
Y040218	18×1.95/2.125	50/54-355	D/V EP2 40mm
Y040703	18×2.30/2.40/2.50	57/62-355	A/V 48mm
Y051002	20×1 1/8	28-451	A/V 40mm
Y051003	20×1 1/8	28-451	A/V 48mm
Y051006	20×1 1/8	28-451	F/V 33mm
Y051007	20×1 1/8	28-451	F/V 40mm
Y051008	20×1 1/8	28-451	F/V 48mm
Y051009	20×1 1/8	28-451	F/V 60mm
Y051004	20×1 1/8	28-451	A/V 60mm
Y051403	20×1 3/8	37-451	A/V 48mm
Y051416	20×1 3/8	37-451	D/V EP2 26.5mm
Y051422	20×1 3/8	37-451	C3E-25A
Y051406	20×1 3/8	37-451	F/V 33mm
Y051408	20×1 3/8	37-451	F/V 48mm
Y051409	20×1 3/8	37-451	F/V 60mm
Y051418	20×1 3/8	37-451	D/V EP2 40mm
Y051108	20×1.0/1.25	25/32-406	F/V 48mm
Y051109	20×1.0/1.25	25/32-406	F/V 60mm
Y051301	20×1.25/1.50	32/40-406	A/V 33mm
Y051302	20×1.25/1.50	32/40-406	A/V 40mm
Y051303	20×1.25/1.50	32/40-406	A/V 48mm
Y051304	20×1.25/1.50	32/40-406	A/V 60mm
Y051306	20×1.25/1.50	32/40-406	F/V 33mm
Y051307	20×1.25/1.50	32/40-406	F/V 40mm
Y051308	20×1.25/1.50	32/40-406	F/V 48mm
Y051309	20×1.25/1.50	32/40-406	F/V 60mm
Y051201	20×1.35	35-406	A/V 33mm
Y051203	20×1.35	35-406	A/V 48mm
Y050101	20×1.50/1.75	40/47-406	A/V 33mm
Y050116	20×1.50/1.75	40/47-406	D/V EP2 26.5mm
Y050117	20×1.50/1.75	40/47-406	D/V EP2 35mm
Y050118	20×1.50/1.75	40/47-406	D/V EP2 40mm
Y050119	20×1.50/1.75	40/47-406	D/V PD(G) 26.5mm
Y050106	20×1.50/1.75	40/47-406	F/V 33mm
Y050108	20×1.50/1.75	40/47-406	F/V 48mm
Y050123	20×1.50/1.75	40/47-406	I/V
Y050122	20×1.50/1.75	40/47-406	C3E-25A
Y050109	20×1.50/1.75	40/47-406	F/V 60mm
Y050102	20×1.50/1.75	40/47-406	A/V 40mm
Y053624	20×1.75/2.125	47/54-406	A/V 33mm Full Thread
Y050236	20×1.95/2.125	50/54-406	I/V 40mm
Y050201	20×1.95/2.125	50/54-406	A/V 33mm
Y050203	20×1.95/2.125	50/54-406	A/V 48mm
Y050216	20×1.95/2.125	50/54-406	D/V EP2 26.5mm

Part No.	Size	ETRTO	Valve
Y050219	20×1.95/2.125	50/54-406	D/V PD(G) 26.5mm
Y050222	20×1.95/2.125	50/54-406	C3E-25A
Y050231	20×1.95/2.125	50/54-406	C3E-25A
Y050223	20×1.95/2.125	50/54-406	I/V
Y050208	20×1.95/2.125	50/54-406	F/V 48mm
Y050207SF	20×1.95/2.125	50/54-406	F/V 40mm Detachable
Y050221	20×1.95/2.125		TRI-PD(G) 40mm
Y050202	20×1.95/2.125	50/54-406	A/V 40mm
Y050601	20×2.125	50/54-406	A/V 33mm
Y050603	20×2.125	54-406	A/V 48mm
Y050627	20×2.125	54-406	C/V
Y050622	20×2.125	54-406	C3E-25A
Y050701	20×2.30/2.40/2.50	57/62-406	A/V 33mm
Y050703	20×2.30/2.40/2.50	57/62-406	A/V 48mm
Y050702	20×2.30/2.40/2.50	57/62-406	A/V 40mm
Y050708	20×2.30/2.40/2.50	57/62-406	F/V 48mm
Y050801	20×3.0	76-406	A/V 33mm
Y050803	20×3.0	76-406	A/V 48mm
Y050808	20×3.0	76-406	F/V 48mm
Y051801	20×4 1/4	108-451	A/V 33mm
Y052801	20×4.0/4.9	100/120-406	A/V 33mm
Y052803	20×4.0/4.9	100/120-406	A/V 48mm
Y052806	20×4.0/4.9	100/120-406	F/V 33mm
Y060908	22×1	25-470	F/V 48mm
Y061401	22×1 3/8	37-501	A/V 33mm
Y061417	22×1 3/8	37-451	D/V EP2 35mm
Y061422	22×1 3/8	37-501	C3E-25A
Y060101	22×1.50/1.75	40/47-457	A/V 33mm
Y062922	22×1.75	47-457	C3E-25A
Y062901	22×1.75(L)	47-457	A/V 33mm
Y060301	22×1.75/2.10	47/52-457	A/V 33mm
Y071401	24×1 3/8	37-540	A/V 33mm
Y071403	24×1 3/8	37-540	A/V 48mm
Y071404	24×1 3/8	37-540	A/V 60mm
Y071416	24×1 3/8	37-540	D/V EP2 26.5mm
Y071418	24×1 3/8	37-540	D/V EP2 40mm
Y071422	24×1 3/8	37-540	C3E-25A
Y071431	24×1 3/8	37-540	C3E-25A
Y071406	24×1 3/8	37-540	F/V 33mm
Y071409	24×1 3/8	37-540	F/V 60mm
Y071419	24×1 3/8	37-540	TRI-PD(G) 26.5mm
Y071424	24×1 3/8	37-540	I/V
Y070901	24×1.0	23-540	A/V 33mm
Y070908	24×1.0	23-520	F/V 48mm
Y071108	24×1.0/1.25	23/32-520	F/V 48mm
Y071136	24×1.0/1.25	23/32-520	I/V 40mm
Y071101	24×1.0/1.25	23/32-520	A/V 33mm
Y071103	24×1.0/1.25	23/32-520	A/V 48mm
Y070101	24×1.50/1.75	40/47-507/520	A/V 33mm
Y070124	24×1.50/1.75	40/47-507/520	A/V 33mm Full Thread
Y070103	24×1.50/1.75	40/47-507/520	A/V 48mm
Y070116	24×1.50/1.75	40/47-507/520	D/V EP2 26.5mm

Part No.	Size	ETRTO	Valve
Y070118	24×1.50/1.75	40/47-507/520	D/V EP2 40mm
Y070136	24×1.50/1.75	40/47-507/520	I/V 40mm
Y070123	24×1.50/1.75	40/47-507/520	I/V
Y073624	24×1.75/2.125	47/54-507	A/V 33mm Full Thread
Y070201	24×1.95/2.125	50/54-507	A/V 33mm
Y070202	24×1.95/2.125	50/54-507	A/V 40mm
Y070203	24×1.95/2.125	50/54-507	A/V 48mm
Y070227	24×1.95/2.125	50/54-507	C/V
Y070216	24×1.95/2.125	50/54-507	D/V EP2 26.5mm
Y070219	24×1.95/2.125	50/54-507	D/V PD(G) 26.5mm
Y070222	24×1.95/2.125	50/54-507	C3E-25A
Y070231	24×1.95/2.125	50/54-507	C3E-25A
Y070206	24×1.95/2.125	50/54-507	F/V 33mm
Y070208	24×1.95/2.125	50/54-507	F/V 48mm
Y070223	24×1.95/2.125	50/54-507	I/V
Y070236	24×1.95/2.125	50/54-507	I/V 40mm
Y070622	24×2.125	54-507	C3E-25A
Y070631	24×2.125	54-507	C3E-25A
Y070701	24×2.30/2.40/2.50	57/62-507	A/V 33mm
Y070703	24×2.30/2.40/2.50	57/62-406	A/V 48mm
Y070722	24×2.30/2.40/2.50	57/62-507	E/V
Y070731	24×2.30/2.40/2.50	57/62-507	C3E-28A
Y070803	24×3.0	76-507	A/V 48mm
Y072801	24×4.0/4.9	100/120-507	A/V 33mm
Y072806	24×4.0/4.9	100/120-507	F/V 33mm
Y072803	24×4.0/4.90	100/120-507	A/V 48mm
Y081401	26×1 3/8	37-590	A/V 33mm
Y081403	26×1 3/8	37-590	A/V 48mm
Y081417	26×1 3/8	37-590	D/V EP2 35mm
Y081418	26×1 3/8	37-590	D/V EP2 40mm
Y081422	26×1 3/8	37-590	C3E-25A
Y081431	26×1 3/8	37-590	C3E-25A
Y081406	26×1 3/8	37-590	F/V 33mm
Y081407	26×1 3/8	37-590	F/V 40mm
Y081409	26×1 3/8	37-590	F/V 60mm
Y081419	26×1 3/8	37-590	TRI-PD(G) 26.5mm
Y081436	26×1 3/8	37-590	I/V 40mm
Y081424	26×1 3/8	37-590	I/V 40mm
Y081416	26×1 3/8	37-590	D/V EP2 26.5mm
Y081438	26×1 3/8	37-590	A/V 33mm Full Thread
Y081101	26×1.00/1.25	25/32-559	A/V 33mm
Y081103	26×1.00/1.25	25/32-559	A/V 48mm
Y081106	26×1.00/1.25	25/32-559	F/V 33mm
Y081108	26×1.00/1.25	25/32-559	F/V 48mm
Y081109	26×1.00/1.25	25/32-559	F/V 60mm
Y081301	26×1.25/1.50	32/40-559/571	A/V 33mm
Y081302	26×1.25/1.50	32/40-559	A/V 40mm
Y081303	26×1.25/1.50	32/40-559/571	A/V 48mm
Y081306	26×1.25/1.50	32/40-559/571	F/V 33mm
Y081307	26×1.25/1.50	32/40-559/571	F/V 40mm
Y081308	26×1.25/1.50	32/40-559/571	F/V 48mm
Y081309	26×1.25/1.50	32/40-559/571	F/V 60mm

Part No.	Size	ETRTO	Valve
Y082708	26×1.38	35-559	F/V 48mm
Y082703	26×1.38	35-559	A/V 48mm
Y080101	26×1.50/1.75	40/47-559	A/V 33mm
Y080102	26×1.50/1.75	40/47-559	A/V 40mm
Y080103	26×1.50/1.75	40/47-559	A/V 48mm
Y080116	26×1.50/1.75	40/47-559	D/V EP2 26.5mm
Y080118	26×1.50/1.75	40/47-559	D/V EP2 40mm
Y080122	26×1.50/1.75	40/47-559	C3E-25A
Y080106	26×1.50/1.75	40/47-559	F/V 33mm
Y080108	26×1.50/1.75	40/47-559	F/V 48mm
Y080124	26×1.50/1.75	40/47-559	I/V
Y080136	26×1.50/1.75	40/47-559	I/V 40mm
Y080117	26×1.50/1.75	40/47-559	D/V EP2 35mm
Y080307	26×1.75/2.10	47/52-559	F/V 40mm
Y080201	26×1.95/2.125	50/54-559	A/V 33mm
Y080202	26×1.95/2.125	50/54-559	A/V 40mm
Y080203	26×1.95/2.125	50/54-559	A/V 48mm
Y080230	26×1.95/2.125	50/54-559	A/V 48mm Full Thread
Y080204	26×1.95/2.125	50/54-559	A/V 60mm
Y080227	26×1.95/2.125	50/54-559	C/V
Y080216	26×1.95/2.125	50/54-559	D/V EP2 26.5mm
Y080219	26×1.95/2.125	50/54-559	D/V PD(G) 26.5mm
Y080218	26×1.95/2.125	50/54-559	D/V PD(G) 40mm
Y080221	26×1.95/2.125	50/54-559	D/V PD(G) 40mm
Y080222	26×1.95/2.125	50/54-559	C3E-25A
Y080231	26×1.95/2.125	50/54-559	C3E-25A
Y080206	26×1.95/2.125	50/54-559	F/V 33mm
Y080207	26×1.95/2.125	50/54-559	F/V 40mm
Y080208	26×1.95/2.125	50/54-559	F/V 48mm
Y080208S	26×1.95/2.125	50/54-559	F/V 48mm Detachable
Y080209	26×1.95/2.125	50/54-559	F/V 60mm
Y080224	26×1.95/2.125	50/54-559	I/V
Y080236	26×1.95/2.125	50/54-559	I/V 40mm
Y080601	26×2.125	54-559	A/V 33mm
Y080622	26×2.125	54-559	C3E-25A
Y080631	26×2.125	54-559	C3E-25A
Y080701	26×2.30/2.40/2.50	57/62-559	A/V 33mm
Y080702	26×2.30/2.40/2.50	57/62-559	A/V 40mm
Y080703	26×2.30/2.40/2.50	57/62-559	A/V 48mm
Y080706	26×2.30/2.40/2.50	57/62-559	F/V 33mm
Y080707	26×2.30/2.40/2.50	57/62-559	F/V 40mm
Y080708	26×2.30/2.40/2.50	57/62-559	F/V 48mm
Y082801	26×4.0/4.9	100/120-559	A/V 33mm
Y082803	26×4.0/4.9	100/120-559	A/V 48mm
Y082806	26×4.0/4.9	100/120-559	F/V 33mm
Y082807	26×4.0/4.9	100/120-559	F/V 40mm
Y082808	26×4.0/4.9	100/120-559	F/V 48mm
Y131301	27.5×1.25/1.50	32/40-584	A/V 33mm
Y131308	27.5×1.25/1.50	32/40-584	F/V 48mm
Y131303	27.5×1.25/1.50	32/40-584	A/V 48mm
Y130301	27.5×1.75/2.10	47/52-584	A/V 33mm
Y130302	27.5×1.75/2.10	47/52-584	A/V 40mm

Part No.	Size	ETRTO	Valve
Y130303	27.5×1.75/2.10	47/52-584	A/V 48mm
Y130306	27.5×1.75/2.10	47/52-584	F/V 33mm
Y130307	27.5×1.75/2.10	47/52-584	F/V 40mm
Y130308	27.5×1.75/2.10	47/52-584	F/V 48mm
Y130323	27.5×1.75/2.10	47/52-584	I/V
Y130336	27.5×1.75/2.10	47/52-584	I/V 40mm
Y133808	27.5×1.75/2.50	47/62-584	F/V 48mm
Y130401	27.5×2.10/2.25	52/57-584	A/V 33mm
Y130402	27.5×2.10/2.25	52/57-584	A/V 40mm
Y130403	27.5×2.10/2.25	52/57-584	A/V 48mm
Y130406	27.5×2.10/2.25	52/57-584	F/V 33mm
Y130407	27.5×2.10/2.25	52/57-584	F/V 40mm
Y130408	27.5×2.10/2.25	52/57-584	F/V 48mm
Y130408S	27.5×2.10/2.25	52/57-584	F/V 48mm Detachable
Y130508S	27.5×2.25/2.50	57/62-584	F/V 48mm Detachable
Y130503	27.5×2.25/2.50	57/62-584	A/V 48mm
Y133701	27.5×2.5/3.0	62/76-584	A/V 33mm
Y133508	27.5×2.5/3.0	62/76-584	F/V 48mm
Y133708	27.5×2.5/3.0	62/76-584	F/V 48mm
Y133709	27.5×2.5/3.0	62/76-584	F/V 60mm
Y093703	27.5×2.5/3.0	62/76-584	A/V 48mm
Y133708S	27.5×2.5/3.0	62/76-584	F/V 48mm Detachable
Y133708SF	27.5×2.5/3.0	62/76-584	F/V 48mm Detachable
Y133703	27.5×2.50/3.0	57/62-584	A/V 48mm
Y133001	27.5×3.0/3.5	76/90-584	A/V 33mm
Y133008	27.5×3.0/3.5	76/90-584	F/V 48mm
Y090903	27×1	25-630	A/V 48mm
Y090908	27×1	25-630	F/V 48mm
Y092201	27×1 1/4	32-630	A/V 33mm
Y092203	27×1 1/4	32-630	A/V 48mm
Y092216	27×1 1/4	32-630	D/V EP2 26.5mm
Y092231	27×1 1/4	32-630	C3E-25A
Y092208	27×1 1/4	32-630	F/V 48mm
Y092219	27×1 1/4	32-630	TRI-PD(G) 26.5mm
Y091401	27×1 3/8	37-630	A/V 33mm
Y091417	27×1 3/8	37-630	D/V EP2 35mm
Y091422	27×1 3/8	37-630	C3E-25A
Y091424	27×1 3/8	37-630	A/V 33mm Full Thread
Y091403	27×1 3/8	37-630	A/V 48mm
Y102001	28×1 1/2	40-635	A/V 33mm
Y102016	28×1 1/2	40-635	D/V EP2 26.5mm
Y102018	28×1 1/2	40-635	D/V EP2 40mm
Y102022	28×1 1/2	40-635	C3E-28A
Y102008	28×1 1/2	40-635	F/V 48mm
Y102019	28×1 1/2	40-635	TRI-PD(G) 26.5mm
Y102017	28×1 1/2	40-635	D/V EP2 35mm
Y102901	28×1.75	47-622	A/V 33mm
Y102903	28×1.75	47-622	A/V 48mm
Y102916	28×1.75	47-622	D/V EP2 26.5mm
Y102918	28×1.75	47-622	D/V EP2 40mm
Y102902	28×1.75	47-622	A/V 40mm
Y102907	28×1.75	47-622	F/V 40mm

STANDARD TUBE

Part No.	Size	ETRTO	Valve
Y111308	29×1.25/1.50	32/40-622/630	F/V 48mm
Y110301	29×1.75/2.10	47/52-622/630	A/V 33mm
Y110303	29×1.75/2.10	47/52-622/630	A/V 48mm
Y110304	29×1.75/2.10	47/52-622/630	A/V 60mm
Y110306	29×1.75/2.10	47/52-622/630	F/V 33mm
Y110307	29×1.75/2.10	47/52-622/630	F/V 40mm
Y110308	29×1.75/2.10	47/52-622/630	F/V 48mm
Y110401	29×2.10/2.25	52/57-622/630	A/V 33mm
Y110402	29×2.10/2.25	52/57-622/630	A/V 40mm
Y110403	29×2.10/2.25	52/57-622/630	A/V 48mm
Y110406	29×2.10/2.25	52/57-622/630	F/V 33mm
Y110408	29×2.10/2.25	52/57-622/630	F/V 48mm
Y110408S	29×2.10/2.25	52/57-622/630	F/V 48mm Detachable
Y110407	29×2.10/2.25	52/57-622/630	F/V 40mm
Y110501	29×2.25/2.50	57/62-622/630	A/V 33mm
Y110508	29×2.25/2.50	57/62-622/630	F/V 48mm
Y110503	29×2.25/2.50	57/62-622/630	A/V 48mm
Y110508S	29×2.25/2.50	57/62-622/630	F/V 48mm Detachable
Y113709	29×2.5/3.0	62/76-622/630	F/V 60mm
Y113703	29×2.5/3.0	62/76-622/630	A/V 48mm
Y113708	29×2.5/3.0	62/76-622/630	A/V 48mm
Y113708S	29×2.5/3.0	62/76-622/630	F/V 48mm Detachable
Y113708SF	29×2.5/3.0	62/76-622/630	F/V 48mm Detachable
Y113001	29×3.0/3.5	76/90-622/630	A/V 33mm
Y113007	29×3.0/3.5	76/90-622/630	F/V 40mm
Y122301	700×18/23C	18/23-622/630	A/V 33mm
Y122303	700×18/23C	18/23-622/630	A/V 48mm
Y122304	700×18/23C	18/23-622/630	A/V 60mm
Y122318	700×18/23C	18/23-622/630	D/V EP2 40mm
Y122306	700×18/23C	18/23-622/630	F/V 33mm
Y122307	700×18/23C	18/23-622/630	F/V 40mm
Y122308	700×18/23C	18/23-622/630	F/V 48mm
Y122333	700×18/23C	18/23-622/630	F/V 48mm Smooth
Y122309	700×18/23C	18/23-622/630	F/V 60mm
Y122325	700×18/23C	18/23-622/630	F/V 60mm Smooth
Y122310	700×18/23C	18/23-622/630	F/V 80mm
Y122326	700×18/23C	18/23-622/630	F/V 80mm Smooth
Y122308S	700×18/23C	18/23-622/630	F/V 48mm Detachable
Y123909	700×18/25C	18/25-622/630	F/V 60mm
Y124008	700×18/25C	18/25-622/630	F/V 48mm
Y124108	700×23/28C	23/28-622/630	F/V 48mm
Y124109	700×23/28C	23/28-622/630	F/V 60mm
Y124108S	700×23/28C	23/28-622/630	F/V 48mm Detachable
Y124103	700×23/28C	23/28-622/630	A/V 48mm
Y124104	700×23/28C	23/28-622/630	A/V 60mm
Y124107	700×23/28C	23/28-622/630	F/V 40mm
Y124110	700×23/28C	23/28-622/630	F/V 80mm
Y124128	700×23/28C	23/28-622/630	F/V 100mm

Part No.	Size	ETRTO	Valve
Y124133	700×23/28C	23/28-622/630	F/V 48mm Smooth
Y124125	700×23/28C	23/28-622/630	F/V 60mm Smooth
Y124126	700×23/28C	23/28-622/630	F/V 80mm Smooth
Y124109S	700×23/28C	23/28-622/630	F/V 60mm Detachable
Y122401	700×25/32C	25/32-622/630	A/V 33mm
Y122402	700×25/32C	25/32-622/630	A/V 40mm
Y122403	700×25/32C	25/32-622/630	A/V 48mm
Y122404	700×25/32C	25/32-622/630	A/V 60mm
Y122427	700×25/32C	25/32-622/630	C/V
Y122416	700×25/32C	25/32-622/630	D/V EP2 26.5mm
Y122418	700×25/32C	25/32-622/630	D/V EP2 40mm
Y122428	700×25/32C	25/32-622/630	F/V 100mm
Y122406	700×25/32C	25/32-622/630	F/V 33mm
Y122408	700×25/32C	25/32-622/630	F/V 48mm
Y122433	700×25/32C	25/32-622/630	F/V 48mm Smooth
Y122409	700×25/32C	25/32-622/630	F/V 60mm
Y122410	700×25/32C	25/32-622/630	F/V 80mm
Y122408S	700×25/32C	25/32-622/630	F/V 48mm Detachable
Y122423	700×25/32C	25/32-622/630	I/V
Y122436	700×25/32C	25/32-622/630	I/V 40mm
Y122501	700×33/37C	33/37-622/630	A/V 33mm
Y122502	700×33/37C	33/37-622/630	A/V 40mm
Y122503	700×33/37C	33/37-622/630	A/V 48mm
Y122516	700×33/37C	33/37-622/630	D/V EP2 26.5mm
Y122518	700×33/37C	33/37-622/630	D/V EP2 40mm
Y122522	700×33/37C	33/37-622/630	C3E-25A
Y122506	700×33/37C	33/37-622/630	F/V 33mm
Y122507	700×33/37C	33/37-622/630	F/V 40mm
Y122508	700×33/37C	33/37-622/630	F/V 48mm
Y122509	700×33/37C	33/37-622/630	F/V 60mm
Y122523	700×33/37C	33/37-622/630	I/V
Y122519	700×33/37C	33/37-622/630	TRI-PD(G) 26.5mm
Y122536	700×33/37C	33/37-622/630	I/V 40mm
Y122517	700×33/37C	33/37-622/630	D/V EP2 35mm
Y122601	700×38/45C	38/45-622/630	A/V 33mm
Y122602	700×38/45C	38/45-622/630	A/V 40mm
Y122603	700×38/45C	38/45-622/630	A/V 48mm
Y122630	700×38/45C	38/45-622/630	A/V 48mm Full Thread
Y122616	700×38/45C	38/45-622/630	D/V EP2 26.5mm
Y122618	700×38/45C	38/45-622/630	D/V EP2 40mm
Y122622	700×38/45C	38/45-622/630	C3E-25A
Y122606	700×38/45C	38/45-622/630	F/V 33mm
Y122608	700×38/45C	38/45-622/630	F/V 48mm
Y122609	700×38/45C	38/45-622/630	F/V 60mm
Y122623	700×38/45C	38/45-622/630	I/V
Y122636	700×38/45C	38/45-622/630	I/V 40mm
Y122608S	700×38/45C	38/45-622/630	F/V 48mm Detachable

SELF-SEALING TUBE

Part No.	Size	ETRTO	Valve
Y050203F	20×1.95/2.125	50/54-406	A/V 48mm
Y050201F	20×1.95/2.125	50/54-406	A/V 33mm
Y070203F	24×1.95/2.125	50/54-507	A/V 48mm
Y081407SF	26×1 3/8		F/V 40mm
Y080201F	26×1.95/2.125	50/54-559	A/V 33mm
Y080203F	26×1.95/2.125	50/54-559	A/V 48mm
Y080206F	26×1.95/2.125	50/54-559	F/V 33mm
Y080207F	26×1.95/2.125	50/54-559	F/V 40mm
Y080208SF	26×1.95/2.125	50/54-559	F/V 48mm Detachable
Y080701F	26×2.30/2.40/2.50	57/62-559	A/V 33mm
Y080706F	26×2.30/2.40/2.50	57/62-559	F/V 33mm
Y090301F	27.5×1.75/2.10	47/52-584	A/V 33mm
Y130303F	27.5×1.75/2.10	47/52-584	A/V 48mm
Y090306F	27.5×1.75/2.10	47/52-584	F/V 33mm
Y090307F	27.5×1.75/2.10	47/52-584	F/V 40mm
Y130308F	27.5×1.75/2.10	47/52-584	F/V 48mm
Y133703F	27.5×2.5/3.0	62/76-584	A/V 48mm
Y092201F	27×1 1/4	32-630	A/V 33mm
Y102903F	28×1.75	47-622	A/V 48mm
Y102901F	28×1.75	47-622	A/V 33mm
Y110301F	29×1.75/2.10	47/52-622/630	A/V 33mm
Y110303F	29×1.75/2.10	47/52-622/630	A/V 48mm
Y110306F	29×1.75/2.10	47/52-622/630	F/V 33mm
Y110307F	29×1.75/2.10	47/52-622/630	F/V 40mm
Y110308F	29×1.75/2.10	47/52-622/630	F/V 48mm
Y110408SF	29×2.10/2.25	52/57-622/630	F/V 48mm Detachable
Y113703F	29×2.5/3.0	62/76-622/630	A/V 48mm
Y151901F	37×533	37×533	A/V 33mm
Y151903F	37×533	-	A/V 48mm
Y122306F	700×18/23C	18/23-622/630	F/V 33mm
Y122307F	700×18/23C	18/23-622/630	F/V 40mm
Y122308F	700×18/23C	18/23-622/630	F/V 48mm
Y122309F	700×18/23C	18/23-622/630	F/V 60mm
Y122310F	700×18/23C	18/23-622/630	F/V 80mm
Y124108SF	700×23/28C	23/28-622/630	F/V 48mm Detachable

Part No.	Size	ETRTO	Valve
Y124109SF	700×23/28C	23/28-622/630	F/V 60mm Detachable
Y124110SF	700×23/28C	23/28-622/630	F/V 80mm Detachable
Y122408SF	700×25/32C	25/32-622/630	F/V 48mm Detachable
Y122409SF	700×25/32C	25/32-622/630	F/V 60mm Detachable
Y122410SF	700×25/32C	25/32-622/630	F/V 80mm Detachable
Y122503F	700×33/37C	33/37-622/630	A/V 48mm
Y123107F	700×35/45C	35/45-622/630	F/V 40mm
Y123107SF	700×35/45C	35/45-622/630	F/V 40mm Detachable
Y122603F	700×38/45C	38/45-622/630	A/V 48mm
Y122607F	700×38/45C	38/45-622/630	F/V 40mm



0.9MM


- 0.9mm in thickness
- Very high quality inner-tubes prefilled with sealant, prevents flats by instantly sealing punctures in the tread area of the tire. Enjoy your no worry trip!

SUPER LITE TUBE

Part No.	Size	ETRTO	Valve
Y081307-1	26×1.25/1.50	32/40-559	F/V 40mm
Y080101-1	26×1.50/1.75	40/47-559	A/V 33mm
Y080108-1	26×1.50/1.75	40/47-559	F/V 48mm
Y080201-1	26×1.95/2.125	50/54-559	A/V 33mm
Y080202-1	26×1.95/2.125	50/54-559	A/V 40mm
Y080207-1	26×1.95/2.125	50/54-559	F/V 40mm
Y130301-1	27.5×1.75/2.10	47/52-584	A/V 33mm
Y130308-1	27.5×1.75/2.10	47/52-584	F/V 48mm
Y130406-1	27.5×2.10/2.25	52/57-584	F/V 33mm
Y110307-1	29×1.75/2.10	47/52-622/630	F/V 40mm
Y122328-1	700×18/23C	18/23-622/630	F/V 100mm
Y122307-1	700×18/23C	18/23-622/630	F/V 40mm
Y122308-1	700×18/23C	18/23-622/630	F/V 48mm
Y122309-1	700×18/23C	18/23-622/630	F/V 60mm
Y122310-1	700×18/23C	18/23-662/630	F/V 80mm
Y122326-1	700×18/23C	18/23-622/630	F/V 80mm Smooth
Y124109-1	700×23/28C	23/28-622/630	F/V 60mm
Y122407-1	700×25/32C	25/32-622/630	F/V 40mm
Y122408-1	700×25/32C	25/32-622/630	F/V 48mm
Y122409-1	700×25/32C	25/32-622/630	F/V 60mm
Y122410-1	700×25/32C	25/32-622/630	F/V 80mm
Y122609-1	700×38/45C	38/45-622/630	F/V 60mm



- weight without the box
- Presta & Schrader valves
- **Schrader:** normal-48mm plus 4g
- **Presta:** normal-48mm plus 1.2g, normal-60mm plus 2.2g



0.65MM

- 0.65mm in thickness
- Lightweight and durable racing tubess


HEAVY DUTY TUBE

VALVES




■ Providing more safety under deflation/heavy duty

Part No.	Size	ETRTO	Valve
Y050124+1	20×1.50/1.75	40/47-406	A/V 33mm Full Thread
Y053647+1	20×1.75/2.125	47/54-406	A/V 48mm
Y050201+1	20×1.95/2.125	50/54-406	A/V 33mm
Y080201+1	26×1.95/2.125	50/54-559/571	A/V 33mm
Y080203+1	26×1.95/2.125	50/54-559	A/V 48mm
Y130402+1	26×2.30/2.40/2.50	57/62-559	A/V 40mm
Y130407+1	26×2.30/2.40/2.50	57/62-559	F/V 40mm
Y080708S+1	26×2.30/2.40/2.50	57/62-559	F/V 48mm Detachable
Y122503+1	700×33/37C	33/37-622/630	A/V 48mm
Y122603+1	700×38/45C	38/45-622/630	A/V 48mm
Y050201+2	20×1.95/2.125	50/54-406	A/V 33mm
Y080201+2	26×1.95/2.125	50/54-559	A/V 33mm
Y080203+2	26×1.95/2.125	50/54-559	A/V 48mm
Y080702+2	26×2.30/2.40/2.50	57/62-559	A/V 40mm
Y080707+2	26×2.30/2.40/2.50	57/62-559	F/V 40mm
Y110418+2	29×2.10/2.25	52/57-622/630	D/V EP2 40mm
Y122518+2	700×33/37C	33/37-622/630	D/V EP2 40mm
Y122618+2	700×38/45C	38/45-622/630	D/V EP2 40mm



THORN RESISTANCE TUBE

■ Specially produced for puncture resistance which will provide more safety for your riding



Part No.	Size	ETRTO	Valve
Y011502+3	12 1/2×2 1/4	50/54-203	A/V 40mm
Y030202+3	16×1.95/2.125	50/54-305	A/V 40mm
Y050201+3	20×1.95/2.125	50/54-406	A/V 33mm
Y050202+3	20×1.95/2.125	50/54-406	A/V 40mm
Y070202+3	24×1.95/2.125	50/54-507	A/V 40mm
Y080201+3	26×1.95/2.125	50/54-559	A/V 33mm
Y080202+3	26×1.95/2.125	50/54-559	A/V 40mm
Y080203+3	26×1.95/2.125	50/54-559	A/V 48mm
Y080207+3	26×1.95/2.125	50/54-559	F/V 40mm
Y080701+3	26×2.30/2.40/2.50	57/62-559	A/V 33mm
Y130303+3	27.5×1.75/2.10	47/52-584	A/V 48mm
Y130308+3	27.5×1.75/2.10	47/52-584	F/V 48mm
Y130403+3	27.5×2.10/2.25	52/57-584	A/V 48mm
Y130408+3	27.5×2.10/2.25	52/57-584	F/V 48mm
Y092202+3	27×1 1/4	32-630	A/V 40mm
Y110303+3	29×1.75/2.10	47/52-622/630	A/V 48mm
Y110308+3	29×1.75/2.10	47/52-622/630	F/V 48mm
Y110403+3	29×2.10/2.25	52/57-622/630	A/V 48mm
Y110408+3	29×2.10/2.25	52/57-622/630	F/V 48mm
Y122409+3	700×25/32C	25/32-622/630	F/V 60mm
Y122402+3	700×25/32C	25/32-622/630	A/V 40mm
Y122503+3	700×33/37C	33/37-622/630	A/V 48mm
Y122509+3	700×33/37C	33/37-622/630	F/V 60mm
Y122518+3	700×33/37C	33/37-622/630	D/V EP2 40mm
Y122602+3	700×38/45C	38/45-622/630	A/V 40mm
Y122608+3	700×38/45C	38/45-622/630	F/V 48mm
Y122618+3	700×38/45C	38/45-622/630	D/V EP2 40mm